

CODE
20246

FD 10-1-THIODAN[®] 3 TOBACCO DUST

FUNGICIDE - INSECTICIDE

NET WEIGHT
50 LBS.

DIRECTIONS FOR USE

CROP: Shade Tobacco

INSECTS: Hornworms, budworms, grasshoppers, flea beetles, aphids, suckflies, and loopers.

DISEASES: Blue Mold and Anthracnose

Make application at the rate of 15 to 25 pounds per acre (amount dependent on the size of the plants) under calm conditions with a power dusting machine that will give thorough coverage of all plant surfaces. Begin applications when plants are set in the field and repeat twice a week as long as Blue Mold is in the area.

CAUTION: Do not use within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with skin or other parts of the body of those engaged in cutting crops. Workers entering treated areas within 24 hours of treatment should wear protective clothing.

U. S. D. A. Reg. No. 279-2395

ACTIVE INGREDIENTS:

*Parathion ----- 1.0%
**Endosulfan (hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) ----- 3.0%

***Zineb ----- 6.5%
INERT INGREDIENTS: ----- 89.5%

100.0%

*O, O-Diethyl O, p-nitrophenyl thiophosphate

**Thiodan, U.S. Pat. No. 2,799,685

***Zinc ethylene bisdithiocarbamate (Zinc expressed as metallic 1.54%)

⚠ DANGER - POISON ⚠

KEEP OUT OF REACH OF CHILDREN
FIRST AID

In Swallowing: Give table spoon or table spoonful of liquid at warm water. Repeat until vomiting occurs and continue to treat. Do not induce vomiting. Do not give food or liquid to persons. Call a physician immediately.

In Case of Inhalation: Remove contaminated persons to fresh air. Give liquid immediately.

In Case of Clothing Contaminated: Remove contaminated clothing immediately. Bathe with soap and water. Wash all contaminated clothing.

ANTIDOTE

NEUTRALIZING AGENTS: Atropine and diethyl m-hydroxyphenyl isopropylamine should be kept under observation for 48 hours. Atropine is anticholinergic. Give 1 cc. intravenously or 1 cc. intramuscularly. Repeat 1 cc. every 15 minutes until patient is fully recovered. Do not give more than 10 cc. total. Do not give more than 10 cc. total.

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Endosulfan produces central nervous system excitation which responds to the barbituric acid derivatives.

DANGER: POISONOUS If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Avoid breathing dust. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator passed by the U.S. Department of Agriculture for parathion - Endosulfan mixtures. Keep away from unprotected persons out of operating areas of vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.


USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Birds feeding on treated areas may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use container. Wash and bury with water. Do not burn.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO COME IN CONTACT WITH NEIGHBORING PLANTS OR CROPS UNLESS YOU ARE SURE IT IS BEING USED IN A MANNER THAT WILL NOT CAUSE DAMAGE TO THEM. IN ALL PLANTS AND CROPS AT ALL TIMES, THERE IS A RISK OF DAMAGE TO THE PLANT AND CROPS. THIS MATERIAL IS NOT TO BE USED ON ANIMALS, PLANTS, OR CROPS. IF YOU ARE NOT SURE OF THE RESULTS OF OTHER USES, CONSULT YOUR DEALER FOR MORE INFORMATION.

