

Code 20246

RESTRICTED USE PESTICIDE

Net Weight
Lbs.


FD 10-1-Thiodan[®] 3 Tobacco Dust

**DANGER—POISON—
PRECAUTIONS**



POISONOUS IF SWALLOWED

product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Fungicide-Insecticide

EPA Reg. No. 279-239 EPA Est. 279

Active Ingredients

- Parathion 1.0%
- Endosulfan (hexachlorohexahydromethano 2,4,3-benzodioxathiepin oxide) 3.0%
- Zinc 6.5%
- Inert Ingredients 89.5%

- O,O-Diethyl O-p-nitrophenyl thiophosphate
- Thiodan (registered trademark of Canadian Hoechst Ltd.)
- Zinc ethylene bisdithiocarbamate
- Zinc expressed as metallic 1.54%

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

Endosulfan produces central nervous system excitation which responds to the barbiturate derivatives.

FOR EMERGENCY ASSISTANCE CALL
716-735-3765
POST TREATED AREA



CAN KILL YOU

DANGER

Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- Wear safety goggles.
- Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.
- Wear heavy duty, natural rubber gloves.

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

ENVIRONMENTAL HAZARDS

This product is toxic to fish and should be kept out of any body of water. Apply the product only as specified on this label. Birds feeding on treated areas may be killed. Do not contaminate water by washing of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop: Shade Tobacco

Insects: Hornworms, Budworms, Grasshoppers, Flea Beetles, Aphids, Suckflies, and Loopers.

Diseases: Blue Mold and Anthracnose.

Make application at the rate of 15 to 25 pounds per acre (amount depending on the size of the plants) under calm conditions with a power dusting machine that will give thorough coverage of all plant surfaces. Begin applications when plants are set in the field and repeat twice a week as long as Blue Mold is in the area.

Caution: Do not use within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with skin or other parts of the body of those engaged in cutting crop. Workers entering treated areas within 24 hours of treatment should wear protective clothing.

STORAGE AND DISPOSAL

Not for use or storage in or around the home.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use container. Smash and bury with wastes. DO NOT BURN.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use

On purchase of this product buyer and user agree to the following conditions:

Warranty

FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendation for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practices.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages. No consequential or punitive damages shall be awarded. Damages shall be limited to the purchase price of the product if the damage is caused by the product.

