

Code 2870



Net Contents
Gallons

Malathion 2 Methoxychlor 2 EC

Insecticide

EPA Reg. No. 279-2419 ZA EPA Est. 279-

Active Ingredients:

Malathion; O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate	22.40%
*Methoxychlor, Technical	22.40%
Aromatic Petroleum distillate	47.00%
Inert Ingredients:	8.20%
	100.00%

*Equivalent to 19.7% 2,2-Bis (p-methoxyphenyl)-1,1,1-trichloroethane and 2.7% other isomers and related compounds

Contains 2 pounds actual Malathion and 2 pounds actual Methoxychlor per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

Note to Physician: Malathion may cause cholinesterase inhibition. Atropine is antidotal.

For Emergency Assistance Call 716-735-3765.

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Caution

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with eyes, wash thoroughly after using. Avoid contamination of feed and food products.

See other panels for additional precautionary information.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

3-80-PA

Environmental Hazards

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not store below 32° F. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

To mix, slowly add the required amount of this material to the partly filled tank with agitator running. Finish filling tank. Continue agitation while applying. Do not use in undiluted form.

When applying this material by aircraft mix the recommended amounts with sufficient water to provide a minimum of 1 1/2 gallons of finished spray per acre. When applying with ground application equipment, mix the recommended amount with sufficient water to provide a minimum of 10 gallons of finished spray per acre.

Alfalfa: Alfalfa Weevil Larvae, Meadow Spittle Bug, Pea Aphid, Potato Leafhopper, Clover Leaf Weevil, Alfalfa Caterpillar, Flea Beetles, Alfalfa Webworm, Fall Armyworm. Use 2 to 2 1/2 quarts per acre in sufficient water to obtain thorough uniform coverage. Begin applications in the spring at first sign of infestation and repeat at 7 to 14 day intervals as needed. Do not apply within 7 days before harvest or grazing.

Dealers Should Sell in Original Packages


Terms of Sale or Use: On purchase of this product buyer agrees to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, on the use of this product other than indicated on the label. Except as warranted, the product is sold as is. Buyer and user assume a use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully and method of application, weather and crop conditions, and other chemicals not specifically recommended and other factors in the use of this product are beyond the control of FMC and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use. No warranty is obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages resulting from use of warranty or negligence shall be limited to direct damages exceeding the purchase price paid and shall not include incidental consequential damages.





Net Contents
Gallons

Thion 2 Methoxychlor 2 EC

ide

2419 ZA EPA Est., 279-

Dimethyl dithiophosphate	
carbosuccinate	22.40%
Technical	22.40%
oleum distillate	47.00%
	8.20%
	100.00%

2-Bis (p-methoxyphenyl)-1,1,1-trichloroethane
and related compounds.
actual Malathion and 2 pounds actual Methoxy-

OF REACH OF CHILDREN

CAUTION

Malathion may cause cholinesterase inhibition

For more information, call 716-735-3765.

ADDITIONAL STATEMENTS

Use in Homes (& Domestic Animals)

Avoid breathing of spray mist. Avoid contact with food and feed. Wash thoroughly after using. Avoid contamination of feed.

Additional precautionary information.

Chemical Group
Street
Pennsylvania 19103

Environmental Hazards

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not store below 32° F. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

To mix, slowly add the required amount of this material to the partly filled tank with agitator running. Finish filling tank. Continue agitation while applying. Do not use in undiluted form.

When applying this material by aircraft, mix the recommended amounts with sufficient water to provide a minimum of 1 1/2 gallons of finished spray per acre. When applying with ground application equipment, mix the recommended amount with sufficient water to provide a minimum of 10 gallons of finished spray per acre.

Alfalfa: Alfalfa Weevil Larvae, Meadow Spittle Bug, Pea Aphid, Potato Leafhopper, Clover Leaf Weevil, Alfalfa Caterpillar, Flea Beetles, Alfalfa Webworm, Fall Armyworm. Use 2 to 2 1/2 quarts per acre in sufficient water to obtain thorough uniform coverage. Begin applications in the spring at first sign of infestation and repeat at 7 to 14 day intervals as needed. Do not apply within 7 days before harvest or grazing.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use. Results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

