

Code: 30068

Net Weight
50 Pounds

KOLODUST® 25 DIAZINON® 3 DUST

DIRECTIONS FOR USE

Apply when insects or disease first appear and repeat as necessary to maintain control. For control beyond the use limitations of this product use a suitable material. May be applied by ground or air. Observe days interval between last application and harvest indicated by number () following the crop.

BEETS (14), LETTUCE (10): Aphids, Dipterous Leafminer — Use 16 pounds per acre.

BROCCOLI (5), CABBAGE (7), CAULIFLOWER (5): Aphids, Diamondback Moth Larvae, Imported Cabbageworm, Powdery Mildew — Use 33 to 50 pounds per acre.

CELERY (10): Aphids, Flea Beetles — Use 16 pounds per acre.

COLLARDS (10), KALE (10), PARSLEY (12), SWISS CHARD (12), TURNIP GREENS (10): Aphids, Imported Cabbageworm, Diamondback Moth Larvae — Use 33 to 50 pounds per acre.

CORN (0): Corn Earworm — Use 50 to 60 pounds per acre. Make first application when silks first appear. Make 2 or 3 repeat applications at 2 to 3 day intervals. Corn may be picked immediately following last application. Do not feed forage to livestock within 10 days following last application. Birds feeding on treated areas may be killed.

FIGS (5): Vinegar Flies, Driedfruit Beetles — Use 50 to 80 pounds per acre.

GRAPES (10): Grape Leafhoppers, Powdery Mildew — Use 33 pounds per acre.

HOPS (14): Beet Armyworm, Corn Earworm, Climbing Cutworm, Aphids, Cucumber Beetle — Use 65 pounds per acre.

ONIONS (10): Thrips, Pea Leafminer (Pacific Northwest) — Use 40 pounds per acre.

POLE (7), LIMA (7) and SNAP BEANS (7): Aphids, Leafhoppers, Cucumber Beetle — Use 40 to 50 pounds per acre. Sulphur may injure certain varieties, check sulphur tolerance prior to use.

SPINACH (10): Aphids, Spinach Leafminer — Use 16 pounds per acre.

STRAWBERRIES (5): Aphids, Powdery Mildew — Use 33 to 40 pounds per acre.

TOMATOES (3): Dipterous Leafminer, Vinegar Fly, Drosophila, Aphid, Tomato Russet Mite — Use 33 to 50 pounds per acre.

ORNAMENTALS: Aphids, Leafhoppers, Whitefly, Powdery Mildew — Dust lightly for thorough coverage. Do not use on certain ferns, poinsettia, hibiscus, papaya, pine and gardenia as injury may occur.

FUNGICIDE-INSECTICIDE

EPA REGISTRATION NO. 279-2422 ZA

ACTIVE INGREDIENTS:	BY WT.
*O,O-Diethyl 0-(2 isopropyl 6 methyl 4 pyrimidinyl) phosphorothioate	3.00%
Sulphur	21.00%
INERT INGREDIENTS:	76.00%
	100.00%

*Diazinon is a registered trademark of CIBA-GEIGY Corporation.

†Kolodust is a registered trademark of FMC Corporation.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid storage near food and feed products.

Applications of materials containing sulphur should not be made prior to or during periods of excessively high temperatures.


For Emergency Assistance Call: 716-735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS


This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the area being treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

This product contains Bentonite Sulphur which is made by the absorption of fused sulphur into Bentonite in the proportion of thirty parts sulphur and seventy parts Bentonite. A portion of the sulphur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulphur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, susceptibility in spray tank and safety to host plants.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by:
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals

Code: 30068

Net Weight

Kolodust® 25 Diazinon 3 Dust

Fungicide-Insecticide

EPA Reg. No. 279-2422 ZA EPA Est., 279-

Active Ingredients:	By Wt.
*O,O-Diethyl 0-(2-isoprophyl-6-methyl-4-pyrimidinyl) phosphorothioate	3.00%
Sulphur	21.00%
Inert Ingredients:	76.00%
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid storage near food and feed products.

For Emergency Assistance Call 716-735-3765.
See other panels for additional precautionary information.

Environmental Cautions
This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under "Precautionary Statements." When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if people reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION
Do not enter treated areas with Kolodust® 25 Diazinon 3 Dust on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

Storage and Disposal
Pesticide Storage
Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill, if liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a tight bag container. Identify contents.

Pesticide Disposal
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal
Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

This product contains Bentonite Sulphur which is made by the absorption of fuming sulphur into Bentonite in the proportion of thirty parts sulphur and seventy parts Bentonite. A portion of the sulphur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulphur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, susceptibility in spray tank and safety to host plants.

Applications of materials containing sulphur should not be made prior to or during periods of excessively high temperatures.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

12/75 A
PA 3310

NOT REVIEWED
In Accordance with EPA Notice 83-2,
Based on the information dated

Apply when insects or disease first appear and repeat as necessary to maintain control. For control beyond the use limitations of this product use a suitable material. May be applied by ground or air. Observe days interval between last application and harvest indicated by number () following the crop.

Beets (14), Lettuce (10): Aphids, Dipterous Leafminer— Use 16 pounds per acre

Broccoli (5), Cabbage (7), Cauliflower (5): Aphids, Diamondback Moth Larvae, Imported Cabbageworm, Powdery Mildew— Use 33 to 50 pounds per acre

Celery (10): Aphids, Flea Beetles— Use 16 pounds per acre

Collards (10), Kale (10), Parsley (12), Swiss Chard (12), Turnip Greens (10): Aphids, Imported Cabbageworm, Diamondback Moth Larvae— Use 33 to 50 pounds per acre

Corn (0): Corn Earworm— Use 50 to 60 pounds per acre. Make first application when silks first appear. Make 2 or 3 repeat applications at 2 to 3 day intervals. Corn may be picked immediately following last application. Do not feed forage to livestock within 10 days following last application. Birds feeding on treated areas may be killed.

Figs (5): Vinegar Flies, Driedfruit Beetles— Use 50 to 80 pounds per acre

Grapes (10): Grape Leafhoppers, Powdery Mildew— Use 33 pounds per acre

Hops (14): Beet Armyworm, Corn Earworm, Climbing Cutworm, Aphids, Cucumber Beetle— Use 65 pounds per acre

Onions (10): Thrips, Pea Leafminer (Pacific Northwest)— Use 40 pounds per acre

Pole (7), Lima (7) and Snap Beans (7): Aphids, Leafhoppers, Cucumber Beetle— Use 40 to 50 pounds per acre. Sulphur may injure certain varieties. Check sulphur tolerance prior to use.

Spinach (10): Aphids, Spinach Leafminer— Use 16 pounds per acre

Strawberries (5): Aphids, Powdery Mildew— Use 33 to 40 pounds per acre

Tomatoes (3): Dipterous Leafminer, Vinegar Fly (Drosophila), Aphid, Tomato Russet Mite— Use 33 to 50 pounds per acre

Ornamentals: Aphids, Leafhoppers, Whitefly, Powdery Mildew— Dust lightly for thorough coverage. Do not use on certain ferns, poinsettia, hibiscus, papaya, pilea and gardenia as injury may occur.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and or handling and or storage of this material when such use and or handling and or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.