





DANGER—POISON—PRECAUTIONS


POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply where run-off is likely to occur.

CODE
30495

NET CONTENTS
GALLONS

PARATHION 0.2 DORMANT OIL

INSECTICIDES
EPA REG. NO. 279-2430 AA

ACTIVE INGREDIENTS:

Parathion: O, O-Diethyl O-p-nitrophenyl thiophosphate 2.65%
Petroleum Oil 95.00%

INERT INGREDIENTS:

2.35%
100.00%

Contains 0.2 pounds of Parathion per gallon.

STOP! READ THE LABEL!

POISON

See side panels
for antidote
and precautions

DANGER

Keep out of reach
of children



CAN KILL YOU

NOT FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS

PARATHION is a very dangerous poison. It enters the body on contact with faces and eyes. Clothing wet with it must be removed immediately. The victim must receive prompt medical treatment or may die.

Some of the signs and symptoms are: Headache, nausea, vomiting, weakness, blurred vision, pin-point pupils, labored breathing, nervousness, watering of eyes, drooling or frothing at the mouth, muscle spasms and coma.

+ FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until victim breathes.

If swallowed and victim is awake, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving strong salty water to drink. Repeat until clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. See doctor immediately.

MANUFACTURED IN U.S.A. BY

PARATHION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA

YAKIMA, WA
RICHMOND, CA

104W

B THE
VE
ING

at, rubber
par safety
approved
thion pro-
ral rubber

driven away
danger of

ds. If you
d get help
, clinic or
the victim
escribe his
a First Aid
nnot come,

wash them;
hands, face
e smoking,

clothes and
ter. Wear
s. Do not
protective
soap and
should be
to instruc-

POISON SIGN (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are like to be those of parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For Emergency Assistance Call
716 - 735-3765

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding in treated areas may be killed. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not re-use empty 2 and 5 gallon containers. Destroy them by perforating or crushing. Return drum to reconditioner or destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

USAGE CAUTIONS

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 20°F. WARNING! FLAMMABLE!

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell In Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such cause. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Parathion 0.2 Dormant Oil is designed to be used only in the dormant or delayed dormant periods.

APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS and PRUNES: Peach Twig Borer, Brown Apricot Scale, San Jose Scale, Black Scale and Olive Scale — Use 2 to 2½ gallons per 100 gallons of water. For Olive Scale use the higher rate. Apply only during the dormant or delayed dormant period using sufficient gallonage of finished spray for complete coverage. (A minimum of 200 gallons of finished spray per acre.) Certain varieties of plums and prunes may be injured by oil sprays, check tolerance to oil prior to treatment. On Peaches and Nectarines do not apply more than 5 pounds actual parathion per acre between January 1 and harvest.

DIRI

Be sure sp
cover agit
the tank w
the overfl
this mixtu
Fill the tar
tank is fill
Use efficie
hot weath
prior to f
mancy wh
trees are
tions are s

Wildlife. Keep out of any leaning of equipment or is may be killed. Do not n the areas treated. Do ly this product only as

b. Destroy them by perforation or destroy it by place away from water

IT OR OPEN FLAME. KEEP
ULD BE REMOVED TO A

ER THAN IN ACCORDANCE
LANT OR CROP INJURY,
ULTS MAY OCCUR.

this product buyer and user

the time of sale by FMC
el, and (2) is reasonably fit
EXCEPT AS SO WARRANTED
IER WARRANTY EXPRESS OR

damages for breach of warranty not exceeding the purchase price of the goods. Notice of such damages by buyer or seller for such damages.

Because of certain critical
er which FMC has no control,
assume responsibility for and
illing or use of the product
vary or waive any statement


NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Parathion 0.2 Dormant Oil is designed to be used only in the dormant or delayed dormant periods.

APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS and PRUNES: Peach Twig Borer, Brown Apricot Scale, San Jose Scale, Black Scale and Olive Scale — Use 2 to 2½ gallons per 100 gallons of water. For Olive Scale use the higher rate. Apply only during the dormant or delayed dormant period using sufficient gallonage of finished spray for complete coverage. (A minimum of 200 gallons of finished spray per acre.) Certain varieties of plums and prunes may be injured by oil sprays, check tolerance to oil prior to treatment. On Peaches and Nectarines do not apply more than 5 pounds actual parathion per acre between January 1 and harvest.

Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the overflow and back into tank for about two minutes. If this mixture turns white, it indicates good emulsification. Fill the tank with water, adding other desired materials as tank is filling. Keep agitator running at all time.

Use efficient equipment. Avoid use just prior to, or during hot weather conditions or during rains. Do not apply just prior to freezing weather conditions. Apply during dormancy when temperature is above 40°F. Use only when trees are in healthy condition, and when moisture conditions are sufficient. Avoid over spraying or double spraying.



SEE LABEL FOR FURTHER DIRECTIONS