

Code: 31754

PAR F 70 SOLUBLE OIL

DIRECTIONS FOR MIXING

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With agitator running start filling tank with water. Add oil when tank is about half filled.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Then fill the tank with water.

Use only in equipment with mechanical or paddle agitation. Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the overflow and back into tank for about two minutes. If this mixture turns white it indicates good emulsification. Fill the tank with water adding other desired materials as tank is filling. Keep agitator running at all times.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

DIRECTIONS FOR USE

Apply when insects first appear and repeat as necessary. Do not use in undiluted form.

ALMONDS, APRICOTS, CHERRIES, NECTARINES, PEACHES: **Summer Use:** Red Spider Mite — Use 1 to 1½ gallons per 100 gallons of water. **Dormant or Delayed Dormant:** Apricot Scale, Black Scale, San Jose Scale, Olive Scale, Mite Eggs — Use 2 gallons per 100 gallons of water. **Delayed Dormant:** Leafroller Eggs — Use 2½ gallons per 100 gallons of water.

APPLES, PEARS, PLUMS, PRUNES: **Summer Use:** Spider Mites — Use 1 to 1½ gallons per 100 gallons of water. Certain varieties of Plums and Prunes may be injured by oil sprays. Check tolerance prior to treatment.

OLIVES: Olive Scale, Oleander Scale, Black Scale — Use 1½ to 2 gallons per 100 gallons of water. May be applied during the post-bloom through post-harvest periods.

WALNUTS: **Summer Use:** Spider Mites, Soft Scales — Use 1 gallon per 100 gallons of water. Apply 200 to 400 gallons of water per acre. Do not apply more than 4 gallons of Par F 70 Soluble Oil per acre. **Delayed Dormant:** Scale and Overwintering Mite Eggs — Use 2 gallons per 100 gallons of water. Apply in sufficient water for thorough coverage. Apply a minimum of 200 gallons of water per acre. This treatment should only be used on trees that have not suffered from lack of moisture at any time during the growing season. Further, oil should not be applied to orchards where soil moisture is low.

036W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA

YAKIMA, WA
RICHMOND, CA

INSECTICIDE

EPA REGISTRATION NO. 279-2532 ZA

ACTIVE INGREDIENT:	BY WT.
Petroleum Oil	99.00%
INERT INGREDIENTS:	1.00%
	<u>100.00%</u>

Classification — Unclassified

Unulfonated Residue — 96% Minimum

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting. Call a Physician immediately. Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

On Deciduous trees do not mix sulphur or apply within 10 days to 2 weeks prior to, or after a sulphur treatment.

Do not mix with pesticides incompatible with oil

For Emergency Assistance Call: 716-735-3765

ENVIRONMENTAL AND DIS

Do not apply when weather conditions favor runoff. Do not apply where run-off is likely to occur.

Do not re-use empty 5 gallon container. Des Bury or discard in a safe place away from wa


Dealer Should Sell in Original

TERMS OF SALE OR USE: On purchase or use of the following conditions:

WARRANTY: FMC warrants that this product, i conforms to the ingredient statement on the label poses set forth in the Directions for Use. EXCEPT SOLD AS IS. FMC MAKES NO OTHER WARRANTY

DAMAGES: Buyer's or user's exclusive remedy for negligence shall be limited to direct damages not shall not include incidental or consequential damages reported to FMC within 10 days of discovery by or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITION: created or incurred by buyer or user or over user, as a condition of purchase or use, assurance from, liability arising out of the handling or use causes. No person is authorized to vary or waive



FMC Chemicals

PAR F 70 SOLUBLE OIL

Net Contents
5 Gallons

MIXING

Tank is clean and contains just enough water to start filling tank with water.

Add water to tank with engine running. Insert suction tube into the measured amount of oil to be sucked into the tank. Then

Agitate. Be sure spray tank is agitated. For shaft add desired amount of this mixture through the overflow. When mixture turns white it indicates good emulsion. Add desired materials as tank is filling.

DO NOT EMULSIFY.

FOR USE

Use as necessary. Do not use in undiluted form.

PEACHES: Summer Use: Red Spider Mite, Scale, Mite Eggs — Use 2 gallons per acre. Aphid, Leafroller Eggs — Use 2 1/2 gallons per acre.

Apple: Spider Mites — Use 1 to 1 1/2 gallons per acre. Prunes may be injured by oil.

Apple: Scale — Use 1 1/2 to 2 gallons per acre. Apply after the post-bloom through post-harvest.

Apple: Mites — Use 1 gallon per 100 gallons of water per acre. Do not apply more than 4 gallons per acre. **Dormant:** Scale and Overwintering Mite Eggs — Use 2 gallons per acre. Apply in sufficient water for 100 gallons of water per acre. This treatment is necessary to prevent red from lack of moisture at any time. Do not be applied to orchards where soil

INSECTICIDE

EPA REGISTRATION NO. 279-2532 ZA

ACTIVE INGREDIENT:	BY WT.
Petroleum Oil	99.00%
INERT INGREDIENTS:	1.00%
	<u>100.00%</u>

Classification — Unclassified

Unsulfonated Residue — 96% Minimum

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting. Call a Physician immediately. Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

On Deciduous trees do not mix sulphur or apply within 10 days to 2 weeks prior to, or after a sulphur treatment.

Do not mix with pesticides incompatible with oil.

For Emergency Assistance Call: 716--735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur.

Do not re-use empty 5 gallon container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.


Dealer Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



FMC Chemicals

EPA EST., 279-CA-2 Printed in U.S.A.