

Code 31754

PM 12  
279-2532

Net Contents

1/4

# Par F 70 Soluble Oil

## Insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-2532 EPA Est., 279--

Active Ingredient:

Petroleum Oil .....	99.0%
Inert Ingredients: .....	1.0%
	<hr/> 100.0%

Classification—Unclassified  
Unsulfonated Residue—92% Minimum

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting. Call a physician immediately.

For Emergency Assistance Call 716—735-3765.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (& Domestic Animals)

**Caution**  
Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.

See Other Panels for Additional Precautionary Information.

ACCEPTED  
 JAN 13 1988  
 279-2532

#### ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

*Do not enter treated areas without protective clothing until sprays have dried.*

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

*Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:*

##### CAUTION

Area treated with Par F 70 Soluble Oil on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

#### STORAGE AND DISPOSAL

##### Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

##### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

#### Note to User:

Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

# FMC

FMC Corporation  
Agricultural Chemical Group  
Philadelphia PA 19103

On Citrus do not mix with sulphur or apply within 60 days prior to or after a sulphur treatment.

On Deciduous trees do not mix with sulphur or apply within 30 days to 2 weeks prior to, or after, a sulphur treatment.

Do not mix with pesticides incompatible with oil.

**Directions for Mixing**

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With agitator running start filling tank with water. Add oil when tank is about half filled.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Then fill the tank with water.

Use only in equipment with mechanical or paddle agitation. Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the overflow and back into tank for about two minutes. If this mixture turns white it indicates good emulsification. Fill the tank with water adding other desired materials as tank is filling. Keep agitator running at all times.

**DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.**

Apply when insects first appear and repeat as necessary. Do not use in undiluted form.

**Almonds, Apricots, Cherries, Nectarines, Peaches:** Summer Use: Red Spider Mite—Use 1 to 1½ gallons per 100 gallons of water. Dormant or Delayed Dormant: Apricot Scale, Black Scale, San Jose Scale, Olive Scale, Mite Eggs, Aphid Eggs—Use 2 gallons per 100 gallons of water. Delayed Dormant: Leafroller Eggs—Use 2½ gallons per 100 gallons of water.

**Apples, Pears, Plums, Prunes:** Summer Use: Spider Mites—Use 1 to 1½ gallons per 100 gallons of water. Certain varieties of Plums and Prunes may be injured by oil sprays. Check tolerance prior to treatment.

**Lemons:** Red Scale, Black Scale, Red Spider—Use 1½ to 1¾ gallons per 100 gallons of water. Apply in late spring and late summer through December.

**Navel and Valencia Oranges:** Red Scale, Yellow Scale, Citricola Scale, Purple Scale, Black Scale, Red Spider—Use 1½ to 1¾ gallons per 100 gallons of water. Apply in late summer through October.

**Olives:** Olive Scale, Oleander Scale, Black Scale—Use 1½ to 2 gallons per 100 gallons of water. May be applied during the post-bloom through post-harvest periods.

**Walnuts:** Summer Use: Spider Mites, Soft Scales—Use 1 gallon per 100 gallons of water. Apply 200 to 400 gallons of water per acre. Do not apply more than 4 gallons of Par F 70 Soluble Oil per acre. Delayed Dormant: Scale and Overwintering Mite Eggs—Use 2 gallons per 100 gallons of water. Apply in sufficient water for thorough coverage. Apply a minimum of 200 gallons of water per acre. This treatment should only be used on trees that have not suffered from lack of moisture at any time during the growing season. Further, oil should not be applied to orchards where soil moisture is low.

**Dealers Should Sell in Original Packages Only.**

**Terms of Sale or Use:** On purchase of this product buyer and user agree to the following conditions:

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

# Par F 70 Soluble Oil

## Insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-2532 EPA Est., 279-

Active Ingredient:

Petroleum Oil .....	99.0%
Inert Ingredients: .....	1.0%
	100.0%

Classification—Unclassified  
Unsulphonated Residue—92% Minimum

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting. Call a physician immediately.

For Emergency Assistance Call 716—735-3765.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (& Domestic Animals)

**Caution**  
Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.  
See Other Panels for Additional Precautionary Information.

#### ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

##### CAUTION

Area treated with Par F 70 Soluble Oil on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

#### STORAGE AND DISPOSAL

##### Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

##### Pesticide Disposal



Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

##### Note to User:

Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.



OCT 29 1987



FMC Corporation  
Agricultural Chemical Group  
Philadelphia PA 19103

On Citrus do not mix with sulphur or apply within 60 days prior to or after a sulphur treatment.

On Deciduous trees do not mix with sulphur or apply within 30 days to 2 weeks prior to, or after, a sulphur treatment.

Do not mix with pesticides incompatible with oil.

#### Directions for Mixing

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With agitator running start filling tank with water. Add oil when tank is about half filled.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Then fill the tank with water.

Use only in equipment with mechanical or paddle agitation. Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the overflow and back into tank for about two minutes. If this mixture turns white it indicates good emulsification. Fill the tank with water adding other desired materials as tank is filling. Keep agitator running at all times.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

Apply when insects first appear and repeat as necessary. Do not use in undiluted form.

**Almonds, Apricots, Cherries, Nectarines, Peaches:** Summer Use: Red Spider Mite—Use 1 to 1½ gallons per 100 gallons of water. Dormant or Delayed Dormant: Apricot Scale, Black Scale, San Jose Scale, Olive Scale, Mite Eggs, Aphid Eggs—Use 2 gallons per 100 gallons of water. Delayed Dormant: Leafroller Eggs—Use 2½ gallons per 100 gallons of water.

**Apples, Pears, Plums, Prunes:** Summer Use: Spider Mites—Use 1 to 1½ gallons per 100 gallons of water. Certain varieties of Plums and Prunes may be injured by oil sprays. Check tolerance prior to treatment.

**Lemons:** Red Scale, Black Scale, Red Spider—Use 1½ to 1¾ gallons per 100 gallons of water. Apply in late spring and late summer through December.

**Navel and Valencia Oranges:** Red Scale, Yellow Scale, Citricola Scale, Purple Scale, Black Scale, Red Spider—Use 1½ to 1¾ gallons per 100 gallons of water. Apply in late summer through October.

**Olives:** Olive Scale, Oleander Scale, Black Scale—Use 1½ to 2 gallons per 100 gallons of water. May be applied during the post-bloom through post-harvest periods.

**Walnuts:** Summer Use: Spider Mites, Soft Scales—Use 1 gallon per 100 gallons of water. Apply 200 to 400 gallons of water per acre. Do not apply more than 4 gallons of Par F 70 Soluble Oil per acre. Delayed Dormant: Scale and Overwintering Mite Eggs—Use 2 gallons per 100 gallons of water. Apply in sufficient water for thorough coverage. Apply a minimum of 200 gallons of water per acre. This treatment should only be used on trees that have not suffered from lack of moisture at any time during the growing season. Further, oil should not be applied to orchards where soil moisture is low.

#### Dealers Should Sell in Original Packages Only.

**Terms of Sale or Use:** On purchase of this product buyer and user agree to the following conditions.

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.