

Code: 31617

50 Pounds Net Weight

CAPTAN 5 SEVIN* 5 DUST

Apply when disease or pests first appear and repeat as necessary to maintain control. For insect or disease control beyond the time limitations of this product use a suitable material. May be applied with ground or airplane application equipment. Observe days interval between last application and harvest indicated by number in () following crop.

LETTUCE (Head - 3), (Leaf - 14): Downy Mildew (California and Arizona), Flea Beetle, Harlequin Bug, Leafhopper, Armyworms, Corn Earworm, Tarnished Plant Bug, Stink Bugs, Cabbage Looper (small), Imported Cabbage Worm. Use 40 pounds per acre.

RASPBERRIES (7): Leafrollers, including Omnivorous Leafroller, Sawfly, Climbing Cutworms, Snowy Tree Cricket, Orange Tortrix, Leafhoppers, Aphids. Use 40 pounds per acre.

STRAWBERRIES (1): Strawberry Fruit Rot, Meadow Spittlebug, Strawberry Leafroller, Strawberry Weevil, Omnivorous Leaf Tier (Strawberry Fruit Worm). Use 40 pounds per acre.

TOMATOES (0): Early and Late Blight, Anthracnose, Septoria Leaf Spot, Colorado Potato Beetle, Flea Beetles, Leafhopper, Fall Armyworm, Tomato Fruitworm, Tomato Hornworm, Tarnished Plant Bug, Stink Bugs. Use 25-40 pounds per acre on young plants. On mature plants use 40-60 pounds per acre.

FUNGICIDE - INSECTICIDE

U.S.D.A. REGISTRATION NO. 279 2582

ACTIVE INGREDIENTS	BY WT.
Carbaryl (1-Naphthyl N-methylcarbamate)	5.00%
Captan	5.00%
INERT INGREDIENTS:	90.00%
	<hr/> 100.00%

N-(1-Trichloromethylthio)-4-cyclohexene-1,2-dicarboximide

U.S. Pat. Nos. 2,553,770 - 2,553,771 - 2,553,776

*Trademark of Union Carbide Corporation for the active ingredient carbaryl.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean work clothing daily.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

USAGE CAUTIONS

This product is toxic to fish. Keep out of streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Some phytotoxicity may occur on tender foliage in presence of rain or high humidity of several days duration following application.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of sight.



