

Code: 31964

[279-2591]

50 Pounds Net Weight

TERRACLOR[®] 6.5 SUPER X 1.6 THIMET[®] 6.5 GRANULAR

DIRECTIONS FOR USE

Niagara Terraclor 6.5 Super X 1.6 Thimet 6.5 Granular is an effective preplanting treatment for protection against certain seedling diseases and insects of cotton.

ON COTTON to control Pythium, Thielaviopsis, Rhizoctonia, and early season Thrips, Aphids, Mites and Leafminers use at the rate of 10-15 pounds per acre for a 40 inch row spacing. (.8-1.16 pounds per 1000 feet of row). On above disease control plus control of Mites, Thrips, Aphids, Black Cutworms, Leafhoppers, Whiteflies and Leafminers use 15 pounds per acre for a 40 inch row spacing (1.16 pounds per 1000 feet of row). Distribute the granules evenly in the furrow at planting time. Soil temperature and tilth should be favorable for good germination and emergence. Under adverse planting conditions plant stand may be effected. Do not apply after bolls open. Do not graze treated areas or feed storage to livestock.

FUNGICIDE-INSECTICIDE

E.P.A. REGISTRATION NO. 279-2591 AA

Thimet is a Systemic Insecticide

ACTIVE INGREDIENTS:	BY WT.
*Phorate	6.50%
Peritachloronitrobenzene	6.50%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole	1.60%
INERT INGREDIENTS:	85.40%
	100.00%

*O,O-Diethyl S-(ethylthio)methyl phosphorodithioate



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

ANTIDOTES: If Swallowed Give a Tablespoonful of Salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately.

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water. CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL.

FIRST AID TREATMENT: CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED THIMET phorate POISONING. If symptoms or signs of poisoning. (See Physicians' Note), include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grains) at once. Remove patient immediately from the area where THIMET phorate is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of THIMET phorate. If swallowed, induce vomiting by giving warm salty or soap water. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

Physicians Note: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1/100 three or more tablets at once and every hour as required until pupils dilate. Thirty or more tablets may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DANGER: Poisonous If Swallowed, Inhaled, or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for phorate protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Do not store near or contaminate feed and food products. Wash hands, arms and face thoroughly with soap and hot water after use. Wash all clothing thoroughly before reuse. Keep away from domestic animals.

USAGE CAUTIONS

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DISPOSE OF WASTES by burying in non crop lands away from water supplies. Empty containers should be buried with wastes or burned. Keep Out of Smoke.

Not for use or storage in or around the home.

For Emergency Assistance Call: 716-735-3765

Thimet[®] Trademark American Cyanamid Company
Terraclor and Terraclor Super X are Trademarks of Olin Mathieson
Printed in U.S.A.

RECEIVED
AUG 8, 1974
279-2591

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals