

Code 31964

ACCEPTED
JUN 17 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-2591

Net Weight Pounds

Terraclor® 6.5 Super X 1.6 Thimet® 6.5 Granular

Fungicide - Insecticide For Commercial or Agricultural Use Only

EPA Reg. No. 279-2591-AA EPA Est., 279-

Active Ingredients:	By Wt.
*Phorate	6.50%
Pentachloronitrobenzene	6.50%
5-Ethoxy-3-trichloromethyl-1,2,4-thiazole	1.60%
Inert Ingredients:	85.40%
	100.00%

*O,O-Diethyl S-(ethylthio)methyl phosphorodithioate
Thimet® Trademark American Cyanamid Company
Terraclor® Terraclor Super X® Trademarks Olin Corporation

KEEP OUT OF REACH OF CHILDREN

DANGER—POISON

First Aid

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious person. Get medical attention.

If on skin, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED Thimet (phorate) POISONING: If symptoms or signs of poisoning (See Physicians' Note) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grains) at once. Remove patient immediately from the area where Thimet (phorate) is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of Thimet (phorate). Have patient lie down and keep quiet.

For Emergency Assistance Call 716-735-3785

See Other Panels for Additional Precautionary Information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

Note To Physician:

Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1/100 three or more tablets at once and every hour as required until pupils dilate. Thirty or more tablets may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

PRECAUTIONARY STATEMENTS

Hazards To Humans (and Domestic Animals)

Danger

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Wash hands, arms and face thoroughly with soap and hot water after use. Wash all clothing thoroughly before reuse. Keep away from domestic animals.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Treated granules exposed on the soil surface may be hazardous to birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. Containers should be buried in a safe place away from water supplies. Do not reuse empty containers. Dispose of container in an incinerator or landfill approved for pesticide containers or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.

Not for use or storage in or around the house.

Terracor® 6.5 Super X 1.6 Thimet® 6.5 Granular is an effective preplanting treatment for protection against certain seedling diseases and insects of cotton.

Cotton: To control Pythium, Thielaviopsis, Rhizoctonia, and early season Thrips, Aphids, Mites and Leafminers—Use at the rate of 10-15 pounds per acre for a 40-inch row spacing (8-1.16 pounds per 1000 feet of row). On above disease control plus control of Mites, Thrips, Aphids, Black Cutworms, Leafhoppers, Whiteflies and Leafminers—Use 15 pounds per acre for a 40-inch row spacing (1.16 pounds per 1000 feet of row). Distribute the granules evenly in the furrow at planting time. Soil temperature and tilth should be favorable for good germination and emergence. Under adverse planting conditions plant stand may be affected. Do not apply after bolls open. Do not graze treated areas or feed forage to livestock.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soil.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(31964-5/80-PA)

279-2591

Code 31964

ACCEPTED
JUN 17 1980
279-2591

Net Weight
Pounds

Terraclor[®] 6.5 Super X 1.6 Thimet[®] 6.5 Granular

Fungicide - Insecticide For Commercial or Agricultural Use Only

EPA Reg. No. 279-2591-AA EPA Est., 279-

Active Ingredients:	By Wt
*Phorate	6.50%
Permethrin	6.50%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole	1.60%
Inert Ingredients:	85.40%
	100.00%

*O,O-Diethyl S-(ethylthio)methyl phosphorodithioate
Thimet[®] Trademark American Cyanamid Company
Terraclor[®] Terraclor Super X[®] Trademarks Olin Corporation

KEEP OUT OF REACH OF CHILDREN

☠ DANGER—POISON ☠

First Aid

If swallowed: drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious person. Get medical attention.

If on skin: remove contaminated clothing and immediately wash skin with soap and water. Get medical attention.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED Thimet (phorate) POISONING. If symptoms or signs of poisoning (See Physicians Note) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1-100 grains) at once. Remove patient immediately from the area where Thimet (phorate) is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of Thimet (phorate). Have patient lie down and keep quiet.

For Emergency Assistance Call 716-735-3765

See Other Panels for Additional Precautionary Information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

Note To Physician:

Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1-100 three or more tablets at once and every hour as required until pupils dilate. Thirty or more tablets may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

PRECAUTIONARY STATEMENTS

Hazards To Humans (and Domestic Animals)

Danger

Poisonous if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Wash hands, arms and face thoroughly with soap and hot water after use. Wash all clothing thoroughly before reuse. Keep away from domestic animals.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Treated granules exposed on the soil surface may be hazardous to birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively using the area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not reuse empty container. Dispose of container in an incinerator or landfill approved for pesticide containers or bury in a safe place. Consult Federal, State or local regulations for any state approved alternative procedures.

Not for use or storage in or around the house