

Code 30823

RESTRICTED USE PESTICIDE

Net Weight  
Pounds

# Cryolite 40 Parathion 2 Dust

**DANGER - POISON PRECAUTIONS**



**POISONOUS IF SWALLOWED**

If this product can be swallowed, you may die. Do not spray, dust or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

**POISON SIGNS (Symptoms)**

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

## Insecticide

**Active Ingredients**  
Cryolite 40 Parathion 2 Dust  
**Inert Ingredients**

For more information, see elements 21-23

By Wt  
5.00  
10.00  
15.00  
20.00

### WORK SAFETY RULES

1. Do not breathe dust. Do not inhale. Do not get dust in eyes. Do not get dust on skin. Do not get dust on clothing. Do not get dust on food. Do not get dust on drink. Do not get dust on children. Do not get dust on pets. Do not get dust on animals. Do not get dust on birds. Do not get dust on fish. Do not get dust on plants. Do not get dust on crops. Do not get dust on fruit. Do not get dust on vegetables. Do not get dust on grains. Do not get dust on seeds. Do not get dust on soil. Do not get dust on water. Do not get dust on air. Do not get dust on ground. Do not get dust on sky. Do not get dust on sun. Do not get dust on moon. Do not get dust on stars. Do not get dust on planets. Do not get dust on galaxies. Do not get dust on universe.

2. Wash hands with soap and water. Wash face with soap and water. Wash clothes with soap and water. Wash shoes with soap and water. Wash everything with soap and water before eating or drinking.

3. After work, take off work clothes and shoes, and wash with soap and water. Wear clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions. Do not breathe dust.

**FIRST AID TREATMENT**

1. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

2. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

3. If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

4. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. For more information, see elements 21-23.

STOP! READ THE LABEL



**CAN KILL YOU**

## NOT FOR HOME USE

### DANGER


Keep out of reach of children

### POISON

See side panels for antidote and precautions

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy-duty natural rubber gloves.



# FMC

FMC Corporation  
Agricultural Chemical Group  
2000 Market Street  
Philadelphia PA 19103

FOR EMERGENCY ASSISTANCE CALL  
716-735-3765  
POST TREATED AREA

Page 2 of 2

ENVIRONMENTAL PROTECTION AGENCY  
Insecticide

EPA Reg. No. 279-2027  
EPA Est. No. 279



### ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic life. Do not apply to water bodies or to areas adjacent to water bodies. Do not apply to areas where waterfowl or other birds are present. Do not apply to areas where bees are present. Do not apply to areas where honey bees are present. Do not apply to areas where other beneficial insects are present. Do not apply to areas where other beneficial organisms are present.

This product is highly toxic to fish and aquatic life. Do not apply to water bodies or to areas adjacent to water bodies. Do not apply to areas where waterfowl or other birds are present. Do not apply to areas where bees are present. Do not apply to areas where honey bees are present. Do not apply to areas where other beneficial insects are present. Do not apply to areas where other beneficial organisms are present.

### DIRECTIONS FOR USE

Apply to plants with the following pests: Aphids, Leafhoppers, Beetles, and other insects.

**Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal. Empty containers should be triple-rinsed, stored in a secure location, and disposed of according to local, state, and federal regulations. Do not use for any purpose other than that for which it was originally intended. Do not use for any purpose other than that for which it was originally intended. Do not use for any purpose other than that for which it was originally intended.

Apply when pests first appear and repeat as necessary to maintain control. May be applied by air or ground. Observe days interval between last application and harvest indicated by number following the crop.

**Beans (15), Leaf Beetle (15)** - Use 12.5 pounds per acre. Aphids, Whitefly, Leafhopper, Mexican Bean Beetle, Bean Leafhopper - Use 25 pounds per acre. Do not apply within 7 days of harvest.  
**Corn (15), Earworm (15), Cucumber Beetle (15)** - Use 37.5 pounds per acre. Do not apply within 15 days of harvest. Remove excess residues by washing, brushing or other effective means.

**Broccoli, Brussels Sprouts, Cabbage, Collards, Kale, Turnips, Radish (15), and Mustard Greens** - Aphids, Cabbage Looper, Armyworms, Climbing Cutworms, Diamondback Moth Larvae, Imported Cabbageworm, and Flea Beetles - Use 25 pounds per acre. Vegetable Weevil - Use 20 pounds per acre. On Broccoli, Brussels Sprouts and Cabbage do not apply after the edible parts of the heads start to form. On Collards, Mustard and Kale do not apply after seeding stage. On Turnips if tops are fed do not apply after seeding stage. Remove excess residues by washing, brushing or other effective means.

**Cauliflower, Kohlrabi** - Do not apply after seeding stage. Remove excess residues by washing, brushing or other effective means. Aphids, Climbing Cutworms - Use 25 pounds per acre. Armyworms, Diamondback Moth Larvae, Imported Cabbageworms, Vegetable Weevil - Use 20 pounds per acre. **Cauliflower only:** Cabbage Looper, Flea Beetles - Use 25 pounds per acre.

**Cucumbers (15), Squash (15)** - Aphids, Climbing Cutworms, Cucumber Beetle, Squash Bug, Leafminer, Thrips and Flea Beetle - Use 25 pounds per acre. Remove excess residues by washing, brushing or other effective means. Do not apply before plants start to vine or when they are wet.

**Lettuce** - Aphids, Leafhoppers, Leafminers, Cabbage Looper, Armyworm, and Imported Cabbageworm - Use 25 pounds per acre. Do not apply to Bibb and Leaf Lettuce after the seeding stage. Do not apply to Head Lettuce after the head begins to form.

**Melons (7)** - Aphids, Leafhopper, Leafminer, Thrips and Cucumber Beetle - Use 25 pounds per acre. Remove excess residues by washing, brushing or other effective means.

**Peppers (15)** - Aphids - Use 15 pounds per acre. Remove excess residues by washing, brushing or other effective means.

**Dealers Should Sell in Original Packages Only**  
**Terms of Sale or Use** - On purchase of this product buyer and user agree to the following conditions:

**Warranty** - E.M.C. makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and handling and storage of this material when such use and handling and storage is contrary to label instructions.

**Directions and Recommendations** - Know directions carefully. Timing and method of application, weather and soil conditions, mixture with other chemicals, and specifically recommended and other influencing factors in the use of this product are beyond the control of E.M.C. and are assumed by buyer at his own risk.

**Use of Product** - E.M.C.'s recommendations for the use of this product are based upon tests relevant to the label. The use of this product being beyond the control of the manufacturer, E.M.C. makes no expressed or implied warranty as to the effects of such use, the results to be expected, or the safety of use with directions or established safe practice.

**Damages** - E.M.C. makes no exclusive remedy for damages for breach of warranty. E.M.C. shall be limited to direct damages not exceeding the purchase price of the product and shall not be liable for incidental or consequential damages.