

Code: 31226

KOLODUST® 50 DIAZINON® 3 DUST

50 Pour

DIRECTIONS FOR USE

Apply when insects or disease first appear and repeat as necessary to maintain control. For control beyond the use limitations of this product use a suitable material.

Maybe applied with ground or airplane application equipment.

ON FIGS to control Vinegar Flies and Dried Fruit Beetles, use 50-80 pounds per acre. Do not apply within 5 days of harvest.

ON GRAPES to control Grape Leafhoppers and Powdery Mildew use 33 pounds per acre. Do not apply within 10 days of harvest.

ON PLUM AND PRUNES California Only to control Brown Rot, Aphids, Mites and Leafhoppers use 40-80 pounds per acre. Do not apply within 10 days of harvest.

ON WALNUTS to control Walnut Aphid use 50-80 pounds per acre. Do not apply after husk-split.

ON STRAWBERRIES to control Aphids and Powdery Mildew use 33-40 pounds per acre. Do not apply within 5 days of harvest.

ON HOPS to control Beet Armyworm, Corn Earworm, Climbing Cutworm, Aphids and Cucumber Beetle use 65 pounds per acre. Do not apply within 14 days of harvest.

ON BROCCOLI, CABBAGE AND CAULIFLOWER to control Aphids, Diamond-back Moths, Imported Cabbageworm and Powdery Mildew use 33-50 pounds per acre. On Broccoli and Cauliflower do not apply within 5 days; On Cabbage do not apply within 7 days of harvest.

ON COLLARDS, KALE, PARSLEY, SWISS CHARD AND TURNIP TOPS to control Aphids, Imported Cabbage Worm and Diamond Back Moth use 40-50 pounds per acre. On Collard, Kale, and Turnip Tops do not apply within 10 days. On Swiss Chard and Parsley do not apply within 12 days of harvest.

ON POLE, LIMA AND SNAP BEANS to control Powdery Mildew, Rust, Aphids, Leafhoppers, Nitidulid Beetle and Cucumber Beetle use 40-45 pounds per acre. Do not apply within 7 days of harvest. Sulphur may injure certain varieties check sulphur tolerance prior to use.

ON CHICKS to control Trips and Pea Leafminer (Pacific Northwest) use 40 pounds per acre. Do not apply within 10 days of harvest.

ON CORN to control Corn Earworm, use 50-60 pounds per acre. Corn may be picked immediately following last application. Do not feed forage to livestock within 10 days following last application.

ON TOMATOES to control Dipterous Leafminer, Vinegar Fly (Drosophila), Aphid and Russet Mite use 40-50 pounds per acre. Do not apply within 3 days of harvest.

ON LETTUCE to control Aphids and Dipterous Leafminer use 16 pounds per acre. Do not apply within 10 days of harvest.

ON SPINACH to control Aphids, and Spinach Leafminer use 16 pounds per acre. Do not apply within 10 days of harvest.

ON CELERY to control Aphids and Flea Beetles use 16 pounds per acre. Do not apply within 10 days of harvest. Plants should be market trimmed (tops removed) before being used or shipped. Tops should not be used for feed or food.

FUNGICIDE - INSECTICIDE

ACTIVE INGREDIENTS:	BY WT.
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorotriate	3.00%
Sulphur	47.00%
INERT INGREDIENTS	50.00%
	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid storage near food and feed products.

BEST AVAILABLE COPY

ON BEETS to control Aphids and C. Do not apply within 14 day
ON POTATOES to control Aphids Beetles use 35-65 pounds per ac harvest.

USAGE C

Dispose of wastes by buying supplies. Empty containers sh wastes or by burning. Keep Out Applications of materials cont prior to or during periods o This product is toxic to fish streams or ponds. Apply this pro

Diazinon is a registered trademark of D. I. Co. Patent No. 2,754,343

ACCE
OCT

LABEL

Dealers Should Sell in Original Packages Only
 The product should be sold in its original container, unopened, and in a manner that will protect the product from damage and deterioration. The product should be sold in its original container, unopened, and in a manner that will protect the product from damage and deterioration.

TERMS OF SALE OR USE: The product is sold as a general purpose herbicide for use on a variety of weeds and grasses.

WARRANTY: Niagara warrants that the product is as represented on the label. It does not warrant that the product will perform in all circumstances. EXCEPT AS WARRANTED, THE PRODUCT IS SOLD "AS IS." NIAGARA MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: Buyer's liability for damages caused by the use of the product is limited to the extent of the damages caused by the use of the product. Niagara is not liable for damages caused by the use of the product in any other circumstances. Niagara is not liable for damages caused by the use of the product in any other circumstances.

EXEMPTION FROM NON-CONTROLLED APPLICATIONS: The product is not intended for use in non-controlled applications. The product is not intended for use in non-controlled applications. The product is not intended for use in non-controlled applications.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
 FMC CORPORATION
 MIDDLEPORT, NEW YORK



ESPENO, CALIF. - RICHMOND, CALIF.
 RIVERSIDE, CALIF. - YAKIMA, WASHINGTON