



Gallons Net Contents

0.8 Par F 60 Soluble Oil Insecticide-Miticicide

For Commercial Use Only

2696 EPA Est. 279-

.....	By Wt.
.....	11.00%
.....	82.00%
.....	7.00%
.....	100.0%

Diethyl dimethyl phosphorodithioate
Pounds per gallon
Classified

KEEP OUT OF REACH OF CHILDREN

WARNING

For more information Call 716-735-3765.

Additional Precautionary Information:

Chemical Group
Street
Pennsylvania 19103

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Warning

May be Fatal If Swallowed, Inhaled or Absorbed Through Skin! Do not breathe vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Environmental Hazards

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent), and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State, or local disposal authorities for approved alternative procedures.

Do not use if Material Does Not Emit H₂S.

Do not use in confined space.

Thoroughly cover before Application is Necessary.

Avoid application of oil sprays just prior to or during hot weather conditions or during rainy weather or dry hot winds. Do not apply just prior to freezing weather conditions. Avoid double spraying. Plants receiving oil sprays should be in healthy condition and proper moisture should be present. Do not make oil spray applications within 60 days prior to or after an application of sulphur.

Mixing Directions

Before using this product, be sure the spray tank is clean and contains at least enough water to cover the agitator shaft. With the agitator in motion (20 RPM or more), add the amount of spray oil required for the tank. Pump this mixture through the agitator and back into the tank for 3 minutes or two. The mixture should turn white, indicating proper emulsification. Then fill the tank with water to the agitator and run at a fast speed.

Valencia Oranges, Lemons, Grapefruit to control Citrus Red Mite, Citrus Thrips, Citrus Rust Mite, Black Scale, Purple Scale, Glover Scale, Snow Scale, Chaff Scale, Yellow Scale—Use 2 quarts per 100 gallons of water. Apply no less than 800 gallons of finished spray per acre on mature trees. Do not reapply within 90 days of preceding treatment of ethion. Make application after bloom when pests appear. Repeat as necessary. Do not apply after November 1. On Lemons do not apply after November 1 or within 21 days of harvest, and make no more than one application per season.

San Joaquin Valley: Navel Oranges, Tangelos, Tangerines to control Citrus Red Mite, Citrus Thrips, Citrus Rust Mite, Black Scale, Purple Scale, Glover Scale, Snow Scale, Yellow Scale, Chaff Scale—Use 2 quarts per 100 gallons of water. Apply no less than 800 gallons of finished spray on mature trees. Make application after bloom when pests first appear. Repeat as necessary. Do not reapply within 90 days of preceding treatment of ethion. Do not apply after November 1. On Tangerines apply no more than 2 applications of ethion per crop.

Dealers Should Sell in Original Packages Only.


Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to the purchase price paid, excluding the purchase price paid and shall not include incidental or consequential damages.



279-2696