

Code: 30051

Net Weight
50 Pounds

ZINEB 5 DIAZINON® 3 DUST

DIRECTIONS FOR USE

Apply when insects or disease first appear and repeat as necessary to maintain control. For disease or pest control beyond the use limitations of this product use a suitable material. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in following the crop.

BEANS (POLE, LIMA AND SNAP) (7): Downy Mildew, Rust, Anthracnose, Aphids, Leafhoppers, Cucumber Beetle — Use 40 to 45 pounds per acre.

BROCCOLI (7), CABBAGE (7), CAULIFLOWER (7): Downy Mildew, Alternaria, Aphids, Diamondback Moth Larvae, Imported Cabbageworm — Use 40 to 50 pounds per acre.

CANTALOUPE (5), MUSKMELON (5), WATERMELON (5), SQUASH (Summer 7) (Winter 5), CUCUMBERS (7): Downy Mildew, Alternaria Blight, Anthracnose, Bumpy Stem Blight, Aphids, Leafhoppers, Cucumber Beetle — Use 45 pounds per acre.

CELERY (14): Aphids, Flea Beetles, Early and Late Blight — Use 16 pounds per acre. Plants should be market trimmed, tops removed before being used or shipped. Tops should not be used for feed or food. Remove residues by washing and stripping.

COLLARDS (10), KALE (10), SWISS CHARD (12): Downy Mildew, Alternaria, Cercospora Leaf Spot, Aphids, Serpentine Leafminer, Western Spotted Cucumber Beetle, Imported Cabbageworm, Diamondback Moth Larvae — Use 40 to 50 pounds per acre.

CORN (40): Helminthosporium Leaf Blight, Puccinia Rust, Corn Earworm — Use 50 pounds per acre. Make first application when silks first appear. Make 2 to 3 repeat applications at 2 to 3 day intervals. Do not feed forage to livestock within 40 days following last application. Do not feed forage to dairy animals or animals being finished for slaughter.

LETTUCE (10): Aphids, Dipterous Leafminer — Use 16 pounds per acre.

ONIONS (10): Thrips, Pea Leafminer (Pacific Northwest) — Use 40 pounds per acre.

PEPPERS (5): Phytophthora, Anthracnose, Ripe Rot, Aphids, Leafhoppers — Use 40 to 50 pounds per acre.

SPINACH (10): Aphids, Dipterous Leafminer, Downy Mildew, White Rust — Use 16 pounds per acre.

TOMATOES (5): Early and Late Blight, Anthracnose, Stemphylium, Septoria Leaf Spots, Cladosporium Gray Mold, Dipterous Leafminer, Vinegar Fly (Drosophila), Aphids — Use 40 to 50 pounds per acre.

TURNIPS (10): Cercospora Leaf Spot, Downy Mildew, Aphids, Serpentine Leafminer, Western Spotted Cucumber Beetle, Imported Cabbageworm, Diamondback Moth Larvae — Use 40 to 50 pounds per acre.

ORNAMENTALS: Rust, Leaf Spot, Anthracnose, Aphids, Leafhoppers, Whitefly — Dust lightly for thorough coverage. Do not use on certain ferns, poinsettia, hibiscus, papaya, pilea and gardenia as injury may occur.

FUNGICIDE - INSECTICIDE

EPA REGISTRATION NO. 279-2664 ZA

ACTIVE INGREDIENTS:	BY WT.
*Zineb	5.00%
**0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	3.00%
INERT INGREDIENTS:	92.00%
	100.00%

*Diazinon

*Zinc ethylenebisdithiocarbamate
Zinc as metallic 1.19%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed. May Cause Irritation of Nose and Throat. May be absorbed through skin. Do not breathe dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Avoid storage near food and feed products.

ENVIRONMENTAL AND DISPOSAL CAUTIONS


This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

For Emergency Assistance Call: 716-735-3765

Diazinon is a registered trademark of CIBA-GEIGY Corporation.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



279-2664

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED**

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals

Code: 30051

Net Weight
50 Pounds

ZINEB 5 DIAZINON[®] 3 DUST

FUNGICIDE - INSECTICIDE

EPA REGISTRATION NO. 279 2664 ZA EPA EST. 279 CA.1

ACTIVE INGREDIENTS:	BY WT.
*Zineb	5.00%
**0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	3.00%
INERT INGREDIENTS:	92.00%
	100.00%

**Diazinon
*Zinc ethylenebisdithiocarbamate
Zinc as metallic 1.19%

Diazinon is a registered trademark of CIBA-GEIGY Corporation.

KEEP OUT OF REACH OF CHILDREN

279 2664

CAUTION

For Emergency Assistance Call: 716-735-3765

See Other Panels for Additional Precautionary Information

FMC
FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

EPA REG. No. 279-2664
PAGE 1 OF 3

(PA-11/82)

PRECAUTIONARY STATEMENTS

Keep this and contents out of reach of children.

CAUTION

Harmful if Swallowed. May Cause Irritation of Nose and Throat. May be absorbed through skin. Do not breathe dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contact with food and feed products.

During the mixing and loading process, wear protective clothing (long pants, long sleeve shirt, impermeable gloves, hat and boots).

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

EPA REG. No. 279-2664
PAGE 2 OF 3

(PA 11/82)

