

METHYL PARATHION 25 W.P.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

DIRECTIONS FOR USE

Apply this insecticide to the foliage of the crop to be treated. Use the following directions for application. Do not apply to plants which are stressed or in bloom. Do not apply to plants which are under stress or in bloom. Do not apply to plants which are under stress or in bloom.

LETTUCE (21), SPINACH (21) Aphids, Armyworms (up to 3rd instar), Flea Beetles, Leafhopper. Use 2-4 pounds per acre.

ALFALFA (Seed and Hay), CLOVER (Seed and Hay) and VETCH Spotted Alfalfa Aphid, Aphids, Armyworms (up to 3rd instar), Leafhopper. Use 2-5 pounds per acre. At a rate of 4 pounds per acre do not apply within 15 days of harvest. At a rate above 4 pounds per acre within 20 days of harvest. Wildlife in treated areas may be killed.

SMALL GRAINS (15) Barley, Oats, Wheat Aphids. Use 2-3 pounds per acre. Armyworms up to 3rd instar, Leafhoppers. Use 3 pounds per acre.

ARTICHOKE (7), CELERY (15), CARROTS (15), PEAS (15), PEPPERS (15) Aphids, Armyworms up to 3rd instar, Fleabeetles, Leafhoppers. Use 4 pounds per acre. Do not use treated carrot tops for food or feed.

PUMPKIN (15) (Green and Lima 21), TOMATOES (15), BROCCOLI (21), BRUSSELS SPROUTS (21), CABBAGE (21), CAULIFLOWER (21) Aphids, Armyworms (up to 3rd instar), Fleabeetles, Leafhoppers. Use 4-6 pounds per acre.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

Copyright © 1971
FMC Corp.

CODE
30392



10 POUNDS
NET WEIGHT

METHYL PARATHION 25 W.P.

INSECTICIDE

Active Ingredient: Methyl Parathion 25 W.P. (25% w/w)
Net Weight: 10 Pounds



DANGER — POISON

KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY SAFETY HANDLING DIRECTIONS ATTACHED TO THIS INSECTICIDE CONTAINER

DO NOT TREAT AREAS

Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

DO NOT CONTAMINATE FEED OR FEEDSTUFFS


DO NOT USE IN UNMIXED FORM

Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

ACCEPTED
OCT 20 1971
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROENTICIDE ACT FOR 1000000000 REGISTERED TO 46698

NIAGARA CHEMICAL DIVISION
FMC CORPORATION
 MIDDLETOWN, N. Y.
 FRESNO, CALIF. • RICHMOND, CALIF.
 RIVERSIDE, CALIF. • YAKIMA, WASH., D.C.



DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

Swallowing even a small amount of this material is dangerous. If swallowed, do not induce vomiting. Call a physician immediately.

POISONOUS BY SKIN CONTACT

Wash thoroughly with soap and water. If splashed in eyes or on clothing, wash immediately. If liquid goes through clothing, wash immediately.

POISONOUS IF BREATHED

Exposure to vapors or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

NOT FOR HOME USE

**CODE
30392**

POISON
See side panels
for antidote
and precautions



10 POUNDS
NET WEIGHT

STOP! READ THE LABEL



DANGER
Keep out of reach
of children

CAN KILL YOU

METHYL PARATHION 25 W.P.

ACTIVE INGREDIENT	
0,0-Dimethyl 0-p-nitrophenyl phosphorothioate	25.00%
INERT INGREDIENTS	75.00%



NIAGARA CHEMICALS
FMC CORPORATION
MIDDLEPORT, N.Y. 14105

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water proof pants, coat, hat, rubber boots and overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

 **POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness,

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large dose. (2 mg/300 mg) intravenously or intramuscularly at 15 to 20 minute intervals until signs of atropinization appear. PAM (pralidoxime chloride) may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinergic antagonist. If necessary,

FMC CORPORATION
 1000 WEST 10TH AVENUE
 PITTSBURGH, PA 15222



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

NOT FOR HOME USE

METHYL PARATHION 25 W.P.

ACTIVE INGREDIENT

0.0 Dimethyl 0-p-nitrophenyl phosphorothioate 25.00%

INERT INGREDIENTS

75.00%



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLETOWN, N.Y. 13456

This label will be printed on the container of this product. The label will be inserted on the container of this product.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not touch eyes or mouth with hands. If you feel sick, stop work and get help right away. Call doctor (physician) clinic or hospital - immediately explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor is not available, take victim to clinic or hospital.

Wash face, hands, arms, legs, shoes, and clothes with plenty of water. Wash hands, face and clothes with soap and water before drinking, eating or smoking.

Do not eat, drink, smoke, or use tobacco while working. Wash clothes and shoes with plenty of water. Wear only clean, uncontaminated clothing. Do not wear contaminated clothing as protective clothing and protective equipment. Wash face and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth, and muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake, consider making him vomit quickly to ease vomiting by sticking finger down throat or by giving small sips of plain water. Do not give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote for parathion is atropine sulfate in large doses. Two to four mg. intravenously, or intramuscularly as soon as available, is recommended. Repeat at 5 to 10 minute intervals until the patient is atropinized. Atropine sulfate (V-AM) should be used to antidote the action of parathion. Atropine sulfate (V-AM) is available in 1 mg. tablets. DR. FRANCIS WELLS, Director, U.S. Army Medical Research and Development Command, Fort Detrick, North Carolina, is the principal investigator. A list of general practitioners, emergency hospitals, and veterinarians is available upon request. For more information, contact the U.S. Army Medical Research and Development Command, Fort Detrick, North Carolina. When a doctor is not available, the victim should be taken to the nearest hospital. Parathion is available for all states and provinces.

POST TREATED AREA

Consult your State Agricultural Experiment Station for information on post-treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.