

ACCEPTED

CODE
2749

NIAGARA

Net Weight
5 LBS.

EPN 25 WETTABLE POWDER

INSECTICIDE

USDA Reg. No. 279-2675

ACTIVE INGREDIENT:

°O-Ethyl O-p-nitrophenyl phenylphosphorodithioate 25.0%

INERT INGREDIENT: 75.0%

°EPN 100.0%

★ DANGER-POISON ★

KEEP OUT OF REACH OF CHILDREN

ANTIDOTE. If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately.

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

EPN is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine.

ATROPINE IS ANTIDOTAL - CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. NOTE TO PHYSICIAN: Repeated therapeutic doses of atropine may be effective. Do not use morphine.

WARNING: Extremely hazardous by skin contact, inhalation or swallowing. Rapidly absorbed through skin. Repeated exposure may without symptoms be increasingly hazardous.

Do not get in eyes, on skin, or on clothing. Do not breathe vapor. Do not spray on face. Wear clean heavy rubber gloves, rubber boots, and a respirator. Wash thoroughly after use. Use protective clothing.

apeutic doses of atropine may be effective. Do not use morphine.

WARNING: Extremely hazardous by skin contact, inhalation or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous.

Do not get in eyes, on skin, or on clothing. Do not breathe vapor, dust or spray mist. Wear clean, heavy rubber gloves, rubber boots, and clean, waterproof or freshly laundered protective clothing (coveralls, cap), and goggles when applying or handling. Destroy and replace gloves frequently. Wear an effective mask or respirator of a type passed by the U. S. Department of Agriculture for EPN protection. Do not contaminate feed or foodstuffs.

Keep animals and unprotected persons away during treatment and while there is danger from drift or residues.

Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and warm water; for eyes, flush with water for 15 minutes and get medical attention.

STORE IN A COOL, DRY PLACE.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container; bury with wastes.

use of EPN in mist blower type or thermal aerosol type (fog) equipment is not recommended.

Use sufficient volume of spray to thoroughly cover all plant surfaces. Mix the required amount of EPN 25 WP with a small quantity of water and then add to tank with agitator running when nearly full, or through the screen while filling with water. Spray operators should stay to the windward of the spray drift.

Begin treatments with the first signs of infestation; for fruits begin with first cover spray following bloom. Apply one spray and re-treat as necessary. Do not apply during bloom of fruits. Observe days interval between last application and harvest as indicated in () following the crop. Do not use on McIntosh and related varieties of apples. Do not use on home plantings. Do not exceed the following lbs. of EPN 25 WP per acre in any one application: OLIVES-16, OTHER TREE FRUITS-12, NUTS-8, BEANS-4, GRAPES and CORN-3, TOMATOES-1.

APPLES (21), PLUMS (21), PEARS (14), PEACHES (21), PRUNES (21), CHERRIES (21), GRAPES (21), PECANS (21), WALNUTS (21), ALMONDS (21); Mite control including Red Spider, European Red, Pacific, Two-spotted, Williamette, Schoene - Use $\frac{1}{2}$ to $\frac{3}{4}$ lb. *11-6-57, 17-6-57, 6-11-57*

CITRUS (30) including Grapefruit, Lemons, Limes, Oranges, Tangeloes, Tangerines; Citrus Red Mite - Use 2 lbs. (8 to 12 lbs. per acre). Orangeworm - Use 5 to 6 lbs. per acre. Citrus Thrips - Use 6 to 8 lbs. per acre - outside coverage. Fruit Tree Leafroller, Orange Tortix - Use 3 to 9 lbs. per acre. Do not use treated rinds for food or feed.

APRICOTS (21), CHERRIES (21), OLIVES (4⁰), PEACHES (21), PRUNES (21), PLUMS (21) Plum Curculio, Oriental Fruit Moth - Use 1 to $1\frac{1}{2}$ lbs. Peach Tree Borer, Lesser Peach Tree Borer - Use $\frac{1}{4}$ to 3 lbs. Lecanium Scale (crawlers), Peach Cottony Scale (crawlers) - Use $\frac{1}{4}$ lbs. Olive Scale (crawlers)

Use 1 lb. plus $1\frac{1}{2}\%$ light medium oil or $2\frac{1}{2}$ lbs. alone. Fruit Tree Leafroller on Cherries and Budmoth on Prunes - Use $\frac{3}{4}$ lb. For peach tree borer apply 2 or 3 sprays to trunk from ground to scaffold limbs timed with moth flight.

Do not apply on olives after July 15.

APPLES (21), PEARS (14) Plum Curculio - Use 1 to $1\frac{1}{2}$ lbs. Codling Moth - Use 1 lb. Fruit Tree Leafroller - Use $\frac{3}{4}$ lb. Pear Psylla - Use $\frac{1}{2}$ lb.

WALNUTS (8), ALMONDS (21), CORN (3), MIST BLOWERS - Walnut Aphid - Use 1 lb. Fruit Tree Leafroller - Use $\frac{3}{4}$ lb.

11-6-57, 17-6-57, 6-11-57

Do not apply on vines after July 15.

APPLES (21), PEARS (14): Plum Curculio — Use 1 to 1½ lbs. Codling Moth — Use 1 lb. Fruit Tree Leafroller — Use ¾ lb. Pear Psylla — Use ½ lb.

WALNUTS (21): Codling Moth, Walnut Aphid — Use 1 lb. Fruit Tree Leafroller — Use ¾ lb.

GRAPES (21), PECANS (21): Grape Berry Moth — Use 1 lb. Pecan Nut Casebearer — Use 1½ lbs.

TOMATOES (3): Leaf Miners (Serpentine and certain other species), Potato Aphid, Southern Armyworm, Tomato Fruitworm — Use ½ to 1 lb. per acre at 7 to 10 day intervals as needed. Two-spotted and Russet Mite — Use ½ lb.

BEANS (21): Mexican Bean Beetle — Use ½ to 1 lb. Make 2 to 4 applications beginning 5 to 7 days after eggs are laid. Two-spotted Mite — Use ½ lb.

CORN (14): European Corn Borer — Use 1 lb. per acre. On sweet corn apply ~~3 to 7~~ 3 to 7 days after eggs are laid, repeat 7 to 10 days later and at intervals of 5 to 7 days during periods when moths are actively depositing eggs. On field corn apply 10 days after eggs first hatch or when 75% of plants show evidence of feeding in leaf whorls; repeat 7 to 10 days later if new evidence of leaf feeding is present. For second brood borers, apply when eggs begin to hatch.

COMPATIBILITY — EPN 25 WP is compatible with most other insecticides and fungicides; specifically, liquid Lime-Sulfur, BHC, Lindane, DDT, Sulfur, Methoxychlor, Nicotine, Naphthalene Acetic Acid, Mercurial and Dithiocarbamate fungicides. Do not use in combination with Bordeaux or Zinc Sulfate-Lime Sprays.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell In Original Packages Only.

TERMS OF SALE OR USE. On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY. Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES. Buyer's or user's ~~exclusive~~ exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS. Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.