

NIAGARA CHEMICAL DIVISION  
FMC CORPORATION  
RESEARCH AND DEVELOPMENT DEPARTMENT  
MIDDLEPORT, NEW YORK

October 28, 1971

REVISED DIRECTIONS FOR USE  
FURADAN 10 GRANULES - PEANUTS<sup>1/</sup>

NIAGARA LABEL

EPA REG. NO.

Furadan 10 Granules

279-2712

DIRECTIONS FOR USE

PEANUTS (Southeastern States Only) - To control nematodes (root knot, sting stunt, lesion, ring) and thrips, apply Furadan 10 Granules in a band over the row prior to planting and incorporate 3 to 6 inches into the soil. Use the rate indicated below for various band widths.

<u>Band Width</u>	<u>Rate/Acre</u> (36 inch rows)	<u>Rate/1000</u> <u>linear feet</u>
12 inches	20 to 40 lbs	1-1/3 to 2-3/4 lbs
18 inches	30 to 50 lbs	2 to 3-1/2 lbs

To control thrips and aid in the control of southern corn rootworm, apply 5 to 10 pounds of Furadan 10 Granules per acre in the furrow at planting (equivalent to 1/3 to 2/3 pounds per 1000 linear feet with 36 inch rows).

Do not feed treated forage to dairy animals or animals being furnished for slaughter.

<sup>1/</sup>Note: Directions for use modified according to your letter of October 12, 1971 (Ref.: PP OF0870)  
Fish and wildlife caution noted in letter will be added to printed labels.

**ACCEPTED**

**FEB 3 1972**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 279-2712 SUBJECT  
TO ATTACHED COMMENTS.