

# Furadan 10 Granules

## Insecticide — Nematicide

EPA Reg. No. 279-2712 AA

**Active ingredient:**

\*Carbofuran ..... 10.0%

**Inert ingredients:** ..... 90.0%
\*2,3-dihydro-2,2-dimethyl-7-benzofuranyl  
methylocarbamate ..... 100.0%

Furadan — FMC trademark

U.S. Patent No. 3,474,171

## WARNING

### KEEP OUT OF REACH OF CHILDREN.

Poisonous if swallowed. Do not get in eyes. For eyes, get medical attention; in the meantime, flush eyes with plenty of water for at least 15 minutes. Do not apply to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed or foodstuffs.

Note for physicians Atropine is antidotal. Give 2 mg. intramuscularly. If in eye, use 1 drop of Homatropine.

For Emergency Assistance Call 716—735-3765.

### Environmental and Disposal Cautions

This product is toxic to birds, fish, shrimp, crab and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Cover or incorporate granules which are spilled during loading and which are visible on the soil surface in turn areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not plant crops other than alfalfa, corn, peanuts, peppers, potatoes, rice, sorghum, strawberries, sugar beets, sugarcane and tobacco within 18 months of last application. Soybeans and oats may be planted the following season. Any other crop may be planted if it is not harvested or grazed.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

#### DIRECTIONS FOR USE

##### SORGHUM

Greenbug (Southwestern States)-Use only on grain sorghum or sorghum grown for forage.


Use 9-12 ounces of Furadan 10 Granules per 1000 linear feet of row (7.5-10 lbs per 13,000 linear feet). Apply directly into seed furrow. - OR - Use 12 ounces of Furadan 10 Granules per 1000 linear feet of row (10 lbs per 13,000 linear feet). Apply in a 7 inch band over the row and incorporate granules into the top 1 inch of soil by use of a press wheel, dropping a short length of chain or other suitable device.

Pounds of Furadan 10 Granules to Apply Per Acre Using Various Row Spacings

	20"	30"	40"
In-furrow	15-20	11-15	7.5-10
7" Band	20	15	10

##### SUGAR BEETS

Sugar Beet Root Maggot - Use 20 lbs of Furadan 10 Granules to 23,750 linear feet of row or 4 ounces per 300 feet (equivalent to 1 acre using 22 inch row spacing). Apply granules in a 6 to 7 inch band and incorporate into the top 1 inch of soil using a suitable device.



# FMC

FMC Corporation  
Agricultural Chemical Division  
Middleport New York 14105