

5 GAL  
NET



**POISON SIGNS (Symptoms)**

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac depression. (3) Wear mask or respirator approved and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For emergency assistance call  
716 - 735-3765

**DIRECTIONS FOR USE**

**NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

This product is an emulsifiable concentrate that mixes readily with water. Apply the recommended amount of insecticide in sufficient water to cover the plant thoroughly. Full coverage is essential for good control. Observe use limitations. This material can be applied by ground or aerial applicators. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 1 gallon of finished spray per acre; ground application equipment, use 2 to 5 gallons of finished spray per acre.

**SOYBEANS (21):** Aphids, Blister Beetles, Green Cloverworms, Cabbage Looper, Mexican Bean Beetle, Stinkbugs, Thrips, Velvetbean Caterpillar and Spider Mites - Use 1 to 2 pints. Armyworms, Fall Armyworm, Bean Leaf Beetle, Corn Earworm and Grasshoppers - Use 2 pints per acre. Do not apply more than twice per growing season. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

by dairy animals or animals being finished for slaughter.

Do not feed trash from treated cotton to such animals.

**RICE:** Rice Stink Bugs - Use 1 to 1 1/2 pints per acre.

Apply when infestation first appears and repeat as necessary to maintain control. Do not apply within 15 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter.

**ENVIRONMENTAL AND DISPOSAL CAUTIONS**

This product is toxic to fish and wildlife. Shrimp, crab and crayfish may be killed at application rates recommended on (a) label. Do not apply where there are important resources or where treated water is contaminated such areas. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply where weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DISPOSAL**

Do not contaminate water by cleaning of equipment or disposal of waste. Clean equipment and containers and DISPOSE OF WASTE by burying at least 18 inches deep in open-top leaky away from water supplies. Do not reuse container; crush or perforate and bury with waste.

**DO NOT CONTAMINATE FEED OR FEEDSTUFFS  
DO NOT USE IN UNDILUTED FORM  
DO NOT STORE BELOW 50° F.**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.**

**TERMS OF SALE OR USE:** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY:** FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such conditions. FMC is authorized to vary or waive any statement contained herein.

**DANGER**

Keep out of reach  
of children

LABEL

**TE° 44**

IDE

EPA EST 279-FL-1

.....	38.8%
.....	38.8%
.....	17.5%
.....	8.5%
(Chlorine)	100.0%

Methyl Parathion per gallon.


**ONLY WHEN WEARING THE EQUIPMENT AND CLOTHING FOLLOWING PROTECTIVE**

water-proof pants, coat, hat, rubber cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac depression. (3) Wear mask or respirator approved and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**NOT FOR HOME USE**

NOT ALLOW THIS MATERIAL TO DRIFT INTO NEIGHBORHOODS OR INTO ANY BODY OF WATER IN A MANNER GREATLY IN EXCESS OF THAT IN ACCORDANCE WITH FEDERAL REGULATIONS. THIS PRODUCT IS NOT TO BE USED IN ANY MANNER THAT MAY BE HARMFUL TO HUMANS OR OTHER ANIMALS.

Dealers Should Sell in Original Packages Only.



**FMC Chemicals**

Printed in U.S.A.

ACCEPTED WITH COMMENTS