

CODE
20383

FD Thiodan[®] 3 Parathion 2 Zineb 6.5 Tobacco Dust

NET WEIGHT
50 lbs.

FUNGICIDE - INSECTICIDE

DIRECTIONS FOR USE

CROP: Shade Tobacco

INSECTS: Hornworms, budworms, grasshoppers, flea beetles, aphids, suckflies, cabbage loopers, and stink bugs.

DISEASES: Blue Mold and Anthracnose.

Make application at the rate of 20 to 25 pounds per acre (amount depending on the size of the plants) under calm conditions with a power dusting machine that will give thorough coverage of all plant surfaces. Begin applications when plants are set in the field and repeat twice a week as long as Blue Mold is in the area.

CAUTION: Do not use within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with skin or other parts of the body of those engaged in cutting crop. Workers entering treated areas within 24 hours of treatment should wear protective clothing.

ACCEPTED

U.S. DEPT. OF AGRICULTURE
FEDERAL AGRICULTURAL MECHANICAL
INSPECTION SERVICE
WASHINGTON, D.C. 20250

E. P. A. Reg. No. 279-2724
ACTIVE INGREDIENTS:
*Parathion ----- 2.0%
**Endosulfan (hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) ----- 3.0%
***Zineb ----- 6.5%
INERT INGREDIENTS: ----- 88.5%
100.0%

*O,O-Diethyl O-p-nitrophenyl thiophosphate
**Thiodan, U.S. Pat. No. 2,799,685
***Zinc ethylene bisdithiocarbamate (Zinc expressed as metallic 1.54%)



KEEP OUT OF REACH OF CHILDREN

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine. Thiodan produces central nervous stimulant. Treat symptomatically. 2-Pam is also antidotal and may be administered in conjunction with atropine. There is no specific antidote.

For Emergency Assistance Call
716-735-3765

DANGER: POISONOUS if Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Avoid breathing dust. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator passed by the U. S. Bureau of Mines for parathion-endosulfan mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of anybody of water. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use container. Smash and bury with wastes. **DO NOT BURN.**

Printed in U. S. A.