

Code: 30703

80 Pounds Net Weight

SUNLAND FERTILIZER with 1.0% "Di-SYSTON

DIRECTIONS FOR USE

BARLEY (60 AND OATS (60) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

COTTON (28 Irrigated Only) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

LETTUCE (60) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

POTATOES (75) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

SUGAR BEETS (30) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

WHEAT (Fall) Apply 100 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest. Apply 50 lbs. per acre in 2 applications. First application 2 weeks before planting. Second application 2 weeks before harvest.

FERTILIZER-INSECTICIDE

EPA REGISTRATION NO. 274-011

ACTIVE INGREDIENTS
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane
100.00%
NET WEIGHT 80.00 LBS.

Form No. 2759-011

KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Warning Statements

TO PHYSICIAN: Antidote: None. Symptoms: Irritation of the skin, eyes, nose, throat, and respiratory tract. Ingestion: Nausea, vomiting, diarrhea, and abdominal pain. Inhalation: Cough, wheezing, and shortness of breath.

First aid: Wash skin with soap and water. Flush eyes with water. Rinse mouth with water. Do not induce vomiting. Seek medical attention immediately.

SYMPTOMS OF POISONING: Irritation of the skin, eyes, nose, throat, and respiratory tract. Ingestion: Nausea, vomiting, diarrhea, and abdominal pain. Inhalation: Cough, wheezing, and shortness of breath.

TREATMENT: Wash skin with soap and water. Flush eyes with water. Rinse mouth with water. Do not induce vomiting. Seek medical attention immediately.

IMPORTANT: When using in cotton, be sure to use the correct amount of Di-Syston. Do not use more than 100 lbs. per acre. Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

DANGER: Poisonous if swallowed. Irritant to eyes, nose, throat, skin. Keep away from children. Do not breathe dusts. Wear a mask or respirator effective for protection against Di-Syston. Information as to suitable types of masks or respirators is available from the U.S. Bureau of Mines. Do not contaminate food or feed. Keep out of reach of children. Keep all unprotected persons and pets out of the operating areas or vicinity. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

RESTRICTIONS

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

Do not use in areas where there is a high risk of water contamination. Do not use in areas where there is a high risk of groundwater contamination.

For Emergency Assistance Call
716-735-3765

