

Code: 30818

50 Pounds Net Weight

# METHYL PARATHION 2 TOXAPHENE 15 DUST

## DIRECTIONS FOR USE

Apply when pests first appear and repeat as required. May be applied with airplane or ground application equipment.

**LETTUCE:** Aphids, Armyworms, Flea Beetles, Leafhoppers, Armyworm, Imported Cabbageworm, Climbing Cutworms, Grasshoppers, Field Crickets — Use 30 pounds per acre. Do not apply after seedling stage on leaf lettuce. Do not apply after heads begin to form on head lettuce.

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER:** Aphids, Armyworms, Flea Beetles, Leafhoppers, Corn Earworm, Imported Cabbageworm, Diamondback Moth, Fall Armyworm, Climbing Cutworms — Use 25 pounds per acre. On Cabbage do not apply after heads start to form. On Broccoli, Brussels Sprouts, Cauliflower do not apply after edible parts begin to form or within 30 days of harvest.

**CELERY:** Aphids, Armyworms, Flea Beetles, Leafhoppers, Climbing Cutworm, Imported Cabbageworm, Fall Armyworm — Use 30 pounds per acre. Do not apply after plants start to bunch or after plants are half mature.


**CORN:** Flea Beetle, Grasshoppers — Use 12 pounds per acre. Do not apply within 12 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter.

## INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-2733

|  |                |
|--|----------------|
| ACTIVE INGREDIENTS:                            | BY WT.         |
| *Toxaphene .....                               | 15.00%         |
| *0,0-Dimethyl 0-p-nitrophenyl thiophosphate .. | 2.00%          |
| INERT INGREDIENTS: .....                       | 83.00%         |
|  | <u>100.00%</u> |

\*Technical chlorinated camphene (chlorine content 67% to 69%)  
\*\*Methyl Parathion



### DANGER - POISON

**KEEP OUT OF REACH OF CHILDREN**  
**SEE SIDE PANEL FOR REQUIRED WARNING STATEMENTS**

#### FIRST AID TREATMENT

**ANTIDOTE:** If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY. If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**NOTE TO PHYSICIAN:** **Methyl Parathion** is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; **Toxaphene** is a central nervous system stimulant. There is no specific antidote. Barbituric acid derivatives may be used for convulsions. Treat symptomatically.

#### ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets, grains (1/100) and call a physician at once.

**PHYSICIAN:** Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.


**WARNING:** Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons and beneficial animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

## USAGE CAUTIONS


This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Empty bags should be buried with wastes. Do not burn.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



**Dealers Should Sell in Original Packages Only.**

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

**TERMS OF SALE OR USE** — On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY** — Niagara warrants that this product, as of the time of sale by Niagara, conforms to the ingredient statement on the label and it is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES** — Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS** — Because of certain critical conditions created or incurred by buyer or user or user which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION  
FMC CORPORATION  
MIDDLEPORT, NEW YORK

