



SEP 27 1971

[279-2770]

279-2770
With comments



DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

POISONOUS TO FISH AND WILDLIFE

NOT FOR HOME USE

CODE
30608

POISON


See side panels
for antidote
and precautions

Niagara[®]

6 POUNDS
NET WEIGHT

STOP! READ THE LABEL

Areas required to be RED will be printed on finished labeling



CAN KILL YOU

DANGER

Keep out of reach
of children

MALATHION PARATHION WETTABLE

ACTIVE INGREDIENTS:

Malathion (0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate)	18.75%
Parathion (0,0-Diethyl 0-p-nitrophenyl thiophosphate)	12.50%

INERT INGREDIENTS

68.75%



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLETOWN, N. Y. 14105

ACCEPTED WITH COMMENTS

USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING

 **POISON SIGNS (Symptoms)**

NOTE TO PHYSICIAN



POISONOUS TO FISH AND WILDLIFE

Do not use this product on fish and wildlife. Birds and fish in treated areas may be killed. Keep this product out of water, especially when weather is windy. Do not use in treated areas. Do not apply to water bodies.

NOT FOR HOME USE

MALATHION PARATHION WETTABLE

ACTIVE INGREDIENTS:	
Malathion (O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate)	18.75%
Parathion (O,O-Diethyl O-p-nitrophenyl thio phosphate)	12.50%
INERT INGREDIENTS:	68.75%

 **NIAGARA CHEMICAL DIVISION**
FMC CORPORATION
MIDDLETOWN, N. Y. 14105

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1. Wear water proof pants, at least rubber boots, and rubber gloves. Wear safety goggles.
- 2. Wear a respirator approved by the U.S. Bureau of Mines for protection.
- 3. Wear heavy duty work clothes.

WORK SAFETY RULES

- 1. Do not use in residential areas. Keep away from children and pets. Do not use in drift.
- 2. Do not use in wind. Do not use in heavy rain. Do not use in low temperatures. Do not use in high humidity.
- 3. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation.
- 4. Do not use in areas where water is used for livestock. Do not use in areas where water is used for fish.
- 5. Do not use in areas where water is used for wildlife. Do not use in areas where water is used for birds.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering, drooling or frothing of mouth, and nose, muscle cramps and spasms.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Inform that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain it until the victim breathes.

If swallowed and victim is awake, encourage him to drink plenty of water. Do not induce vomiting. If vomiting occurs, do not give anything to eat or drink. Have victim drink plenty of water.

In case of contact immediately flush eyes with plenty of water for at least 15 minutes. Wash skin with plenty of water. If on face, wash thoroughly immediately.

NOTE TO PHYSICIAN

Antidote: 1. Administer atropine sulfate in large doses. 2. Atropine sulfate 1 mg. intravenously or intramuscularly every 15 minutes until the patient is dry. 3. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 4. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 5. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 6. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 7. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 8. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 9. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry. 10. Administer 1 mg. of atropine sulfate intravenously or intramuscularly every 15 minutes until the patient is dry.

POST TREATED AREA

Contact your State Agricultural Extension Service or Experiment Station regarding spraying treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

MALATHION PARATHION WETTABLE

CODE
30608



6 POUNDS
NET WEIGHT

MALATHION PARATHION WETTABLE

INSECTICIDE

EPA REG. NO. 1547-1-N-NO-274-2770-AA

ACTIVE INGREDIENTS	BY WT
Malathion (0,0-Dimethyl phosphorothioate of diethyl mercaptosuccinate)	18.75%
Parathion (0,0-Diethyl 0-p-nitrophenyl thio-phosphate)	12.50%
INERT INGREDIENTS	68.75%
	100.00%

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

DIRECTIONS FOR USE

CITRUS Grapefruit, Kumquats, Lemons, Limes, Oranges, Tangeloes, Tangerines) (California Red Scale, Black Scale, Brown Soft Scale, Citricola Scale, Citrus Aphids, Citrus Thrips, Cottony-cushion Scale, Fuller Rose Beetle, Katydid, Mealybug, Purple Scale, Yellow Scale, Orange Tortrix, Fruit Tree Leafroller, Citrus Cutworms, Western Tussock Moth and Swallowtail Butterfly Larvae (Orange dog) — Use 2 pounds per 100 gallons of water. Apply when insects first appear and repeat as necessary. The preferred timing is during the immediate post-bloom period or before fruit becomes infested. This product should not be applied during bloom. If it is necessary to treat during bloom notify bee keepers well in advance to move their hives to a safe distance until one week after application. Do not apply within 14 days of harvest. If over 32 pounds per acre of this product is applied do not apply within 30 days of harvest.

USAGE CAUTIONS

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not combine with lime, lime sulphur, Bordeaux, calcium arsenate or other alkaline materials.

Not for use or storage in or around the home.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Empty cans should be buried with wastes. Do not burn, do not reuse.

011WB 30608

DANGER - POISON
KEEP OUT OF REACH OF CHILDREN.

BEFORE USING READ THE PRECAUTIONARY - SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

TO BE TREATED AREAS

Apply to citrus groves, grapefruit, lemons, limes, oranges, tangeloes, tangerines, and other citrus fruits. Apply to other fruits and vegetables as directed on the label.

TERM	PERCENTAGE
OWNERS	50%
WAREHOUSES	50%
TERMS	50%
NIAGA	50%

DAMAGES Buyer's or user's exclusive remedy for this product shall be limited to direct damages in excess of the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTRACTIBLE CONDITIONS Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, Niagara releases, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

NIAGARA CHEMICAL DIVISION
FMC CORPORATION

MIDDLEPORT, N. Y.
FRESNO, CALIFORNIA

RICHMOND, CALIF. • YAKIMA, WASHINGTON

