**Code 30608** 

## RESTRICTED USE PESTICIDE

Pounds Net Weigh

For retail sale to and use only by certified applicators or persons or deriver direct supervision, and only for those uses covered to the certified applicators.

# Malathion Parathion Wettable

DANGER—POISON—



### Insecticide

EPA Reg No 279-2770 ZA

LPA Est., 279-

Active Ingredients	
Malathion	18.75%
Parathion	11.90%
Related Compounds	0.60%
Inert Ingredients	68.75%
	100.00

### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



### STOP! READ THE LAMEL



### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



### **DANGER**

Keep out of reach of children

### **POISON**

See side panels for antidote and precautions

# USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pents, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. (4) Wear heavy duty, natural rubber gloves.

### POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be

## POISONOUS TO FISH AND WILDLIFE

### POISON SIGNS (Symptoms)

PARATHION is a very dengerous potent. It repidly enters the body on centect with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Expected present must receive prempt medical treatment or their man all.

Some of the signs and symptoms of poleoning are: Headsche, names, verniting, cramps, week near, bluved vision, pin-point pupils, lightness in chest, labored irreshing, nerveuence, avealing, watering of eyes, dreeting or frothing or mouth and nose, insuch seasons and come.

PA 11/82

**FMC** 

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

#### **WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with harids. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT<sup>1</sup> Before removing gloves, wash them with soap and water Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soep and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soep and water after each use. Respirator should be cleaned and litter replaced according to instructions included with respirator.

### FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with rilenty of water for at least 15 minutes while re-noving contaminated clothing and shoes. She doctor immediately.

### NOTE TO PHYSICIAN

Antidote - administer alropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear 2-PAM chloride is also antidotal and inay be administered in conjunction with atropine DO NOT GIVE MORPHINE OR TRANQU'LIZERS Parathion is a strong choinesterase inivibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression At first sign of pulmonary edems, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement, VERY CLOSE SUPERVISION OF THE PA-TIENT IS INDICATED FOR AT LEAST 48 HOURS

#### FOR EMERGENCY ASSISTANCE CALL 716—735-3765 POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

### **ENVIRONMENTAL HAZARDS**

This product is poisonous to fish and wildlife. Keep nut of takes poinds and streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsists at with its labeling.

Do not combine with time, sulphur, Bordeaux, calcium arsenate or other alkaline materials

CITIVUS: (Grapefruit, Kumquats, Lemons, Limes, Oranges, Tangelos, Tangerines) (California): Red Scale, Black Scale, Brown Soft Scale, Citricola Scale, Citrus Aphids, Citrus Thrips, Cottony-cushion Scale, Fuller Rose Beetle, Katydids, Mealybug, Purple Scale, Yellow Scale, Orange Tortrix, Fruit Tree Leafroller Citrus Cutworms, Western Tussock Moth and Swallowiail Butterfly Larvae (Orange dog) — Use 2 pounds per 100 gallons of water. Apply when insects first appear and repeat as necessary. The preferred timing is during the immediate post-bloom period or before fruit becomes infested. This product should not be applied during bloom. If it is necessary to treat during bloom notify bee keepers well in advance to move their hives to a safe distance until one week after application. Do not apply within 14 days of harvest. If over 32 pounds per acre of this product is applied do not apply within 30 days of harvest.

### STORAGE AND DISPOSAL

Not for use or storage in or around the home Do not use in undiluted form Do not contaminate feed or foodstufts

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop land awa, from water supplies. Empty bags should be buried with wastes. Do not hum. Do not re-use

### Dealers Should Sell in Original Packages Only.

Terms of Sale or Use On purchase of this product buyer and user agree to the following conditions

Warranty FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage is contrary to account instructions.

Offsections and Recommendations Follow directions carefully Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of time product are beyond the control of the seller and are assumed by buyer at his own

Use of Product FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages Buyer's or user's exclusive remedy for damages for breach of warra and or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(30608-PA 11/82).

As. Amine dusale
PMC Corporation
Agricultural Capalizat Grain
2000 Market Street
Philadelphia, PA 19103

Dear Ma. Cuirla:

Subject: Malachion Parathion detende EPA Registration No. 279-2770 Your Application Dated November 5, 1984

The labeling referred to above, submitted in connection with registration under the federal Insections, functor to and determining Act, as agended, is acceptable. A stamped copy is enclosed for your records.

1. In the remember montion of your label all "forkers entering breated fields within 48 hours must mean protective clothing."

Singerell yours,

Jar 1. Olembarger Product damager (12) Insecticide-Rodenticide drames Remistration Division (US-767)

unclosure

TS+767:JSELLen om jertock-2d0 004:JA33-, 1770:Lovikamon:470-2010:LU/16/82