

CODE
2010C



Net Contents
55 GALLONS

PAR F 70-435 CITRUS OIL

Insecticide - Miticide - Scalicide

279-2776

The oil in this product complies with specifications designated FC 435-66 for use on citrus as recommended in the Florida Citrus Spray and Dust Schedule.

DIRECTIONS FOR USE

ON CITRUS: (Grapefruits, Lemons, Limes, Oranges, Tangelos, and Tangerines). Niagara Par F 70-435 Citrus Oil is an emulsifiable spray oil intended for the control of scale insects (snow, soft brown, purple and Florida red), spider mites and whiteflies. Niagara Par F 70-435 Citrus Oil is suggested for use at a concentration of 0.8% to 1.0% (4 to 5 gallons per 500 gallons water) actual oil. For use in combination with ethion for control of scale insects a concentration of 0.4% to 0.6% (2.0 to 3.0 gallons per 500 gallons water) actual plus 2.5 - 3.75 p.s. Ethion 4 Miscible or 5 - 7.5 lbs. Ethion 25 Wettable Powder per 500 gallons or 5 pounds Parathion 15% Wettable Powder (or equivalent) is suggested. The lowest rates are for light to moderate scale, spider and whitefly infestations while the higher rates are for moderate to heavy scale infestations. All dosage rates given are for 500 gallons finished spray.

NOTE: Do not apply Parathion plus oil mixtures within 14 days of harvest nor more than 3 applications of such mixtures to any one crop of citrus. When used in combination with Ethion and if more than one treatment is necessary, do not apply within 90 day intervals. Do not apply more than twice per season on tangerines. May be applied up to day of harvest when used with Ethion. Refer to the Ethion and Parathion product label for additional precautions when either of these are used in combination with Niagara Par F 70-435 Citrus Oil.

U. S. D. A. Reg. No. 279-2776

ACTIVE INGREDIENTS:	
Petroleum Oil -----	98.0%
INERT INGREDIENTS: -----	2.0%
	<hr/> 100.0%

Unulfonatable Residue 92% Minimum.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting. Call Physician Immediately.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKE NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be resorted to Niagara within 90 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

(If other materials are to be used in the same tank, it is suggested that they be added first, for ease in mixing. Finish filling tank with water and keep agitated. If an injector is used, first fill tank 1/4 to 1/3 full with water with engine running to provide good pressure. Then place suction hose in measured amount of spray oil and suck into tank. Finish filling tank with water. Keep agitator running at all times. Sufficient agitation must be present to insure the proper emulsification at all times.

USAGE CAUTIONS

For best results with this product the following precautions should be observed. Use efficient equipment of the proper type. Do not pour this material directly into empty tank; avoid spraying during or immediately before periods of hot or near freezing weather, hot dry winds, periods of drought or when trees are wilting or near wilting; avoid over-spraying or double spraying do not apply within 3 weeks before or after an application of sulfur. Trees should be sprayed with oil only when in a vigorous condition when humidity is high, and when moisture is plentiful.

This is an emulsive type of oil and requires mechanical (or equivalent) agitation.

Do not use this material if it does not emulsify.

Do not use in undiluted form.

Do not mix with pesticides incompatible with oil.

Toxic to fish and other aquatic wildlife. Keep out of lakes, ponds and streams. Apply this product only as specified or