

DIRECTIONS FOR USE

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and Moths) Direct Spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying. Do not remain in treated areas.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs) - Spray into cracks or woodwork, walls, floors and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

WASPS AND HORNETS - Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violet, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rose and snap dragon) and on outdoor plants azalea, chrysanthemum, euonymus, ivy, marigold, petunia, rose, snap dragon and zinnia). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors spray when air is still.

For control of these pests as well as tent caterpillar, canker worms and garden webworm on ornamental crab apple, cherries and plum trees, spray as above. Do not spray bearing fruit trees.

CAUTION

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before re-use. When using the product in these areas apply only when the facility is not in operation.

Do not use on or around animals. Cover or remove fish bowls for 1 hour.

ACTIVE INGREDIENTS:

- * Tetramethrin 0.250%
- and related compounds 0.034%
- ** (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate 0.106%
- and related compounds 0.014%
- Petroleum Distillate 9.000%

INERT INGREDIENTS:

90.596%
100.000%

* 1-Cyclohexene-1,2-dicarboximidomethyl-2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

** Cis/trans isomer content: Max. 30% (±) cis and Min. 70% (±) trans. U.S. Patent No. 3,465,007.

[279-2790]



**Multi-Purpose
INSECT KILLER**

INSECTICIDE

**For Control of Pests
in House and Garden**

EPA REG NO 279 2770

**FAST KNOCKDOWN
with
NEW NEO-PYNAMIN®**

CAUTION

Keep Out Of Reach Of Children

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying.

WARNING! Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Boiling temperatures above 130° F may cause explosion. Never throw container into fire or incinerator.

See rear panel for additional precautions.

NEO-PYNAMIN REG. U.S. PAT. OFF. & CAN. PAT. OFF.
SUMITOMO CHEMICAL CO. LTD.

NET WT. 1 lb 1/2



Manufactured by
INDUSTRIAL DEPARTMENT
Niagara Chemical Division
Middleport, N. Y. 14105