

Code 2836

50 Lbs. Net Weight

# Furadan® 3 Granules

## Insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-2792

EPA Est. No. 279

Active ingredient:	3.00%
*Carbofuran	87.00%
Inert ingredients	100.00%

\*2,3-Dihydro-2,2-dimethyl-7-benzofuranyl methylcarbamate  
U.S. Patent No. 3,474,171 Furadan® - FMC Trademark

### KEEP OUT OF REACH OF CHILDREN WARNING

#### First Aid

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.


If in eyes, flush with plenty of water for at least 15 minutes. Get medical attention.

#### Antidote

Note to Physician: Furadan is a reversible cholinesterase inhibitor. Do not use oximes such as 2-PAM. Start by giving 2 mg atropine intramuscularly. According to clinical response, continue until signs of atropinization occur (dry mouth or dilated pupils). If in eye, instill one drop of homatropine.

See side panel for additional precautionary statements.

For Emergency Assistance Call 716-736-3785.



# FMC

FMC Corporation  
Agricultural Chemical Group  
2000 Market Street  
Philadelphia PA 19103

PA 10 80

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans (& Domestic Animals)

##### Warning

May be fatal if swallowed or absorbed through eyes. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

#### Environmental Hazards

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep irrigation water out of lakes, streams and ponds for at least 7 days. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not reuse empty container. Dispose of container in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State, or Local disposal authorities for approved alternative procedures such as limited open burning.

Rice — in Arkansas, Louisiana, Mississippi, Texas: For control of Rice Water Weevil and Mosquitoes apply 15 to 20 pounds of Furadan 3 Granules per acre one day before or within 21 days after permanent flooding. Do not make more than one application per season. Apply by air or ground equipment. The subsequent use of propanil herbicide may result in crop injury. For effective larval control of the dark rice field mosquito, application must be made within 2 to 4 days after the field has been flooded.

#### Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of the product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.