

CODE
3029

NET WEIGHT
50 LBS.

FOLPET 7.5 SEVIN* 5 DUST

FUNGICIDE-INSECTICIDE

DIRECTIONS FOR USE			EPA REG. NO. 279-2807	USAGE CAUTIONS	
			ACTIVE INGREDIENTS: **Folpet - - - - - 7.5% *Carbaryl (1-naphthyl N-methylcarbamate) - - - - 5.0% INERT INGREDIENTS: - - - - - 87.5% *Sevin, U.S. Pat. Nos. 2,903,478 3,009,855 **N-(trichloromethylthio) phthalimide	100.0%	<p>This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wash water. Apply this product only as specified on this label.</p> <p>This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.</p> <p>DISPOSE OF WASTES by burying in non-crop land away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.</p>
CROP	TO CONTROL	REMARKS	CAUTION KEEP OUT OF REACH OF CHILDREN. For Emergency Assistance Call 716-735-3765		
Grapes (Eastern Use)	Black Rot Dead Arm Downy Mildew Powdery Mildew Grape Berry Moth Grape Leaf Folder Grape Leafhopper Grape Leaf Skeletonizer European Fruit-lecanium Japanese Beetle June Beetles Red-handed Leaf Roller	Use 40 pounds of dust per acre. For dead arm control apply when new growth is 1 to 2 inches long, repeat when growth is 4 to 6 inches long. Continue applications when insects first appear or disease threatens in the area. Repeat as required to maintain control. May be applied up to day of harvest.	Harmful if inhaled or swallowed. Avoid breathing dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. Avoid storage near feed and food products.		
During period of extended hot, dry weather, foliage injury may occur on some varieties.			NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.		

ACCEPTED

JUN 7 1973

UNIVERSITY OF CALIFORNIA
 FUNGICIDE DIVISION
 FOR BOX 200
 ELI UNIBUS 200
 10 ATTACHE

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE - On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY - Niagara warrants that this product as sold or sold by Niagara (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES - Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages, not exceeding the purchase price paid, and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives all claim for such damage.

EXCUSE FROM NON-CONTROLTABLE CONDITIONS - Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

