

CODE
20020

COPPER 3.4 SULFUR 70 SEVIN^{**} 10 PEANUT DUST

NET WEIGHT
50 LBS.

FUNGICIDE - INSECTICIDE

DIRECTIONS FOR USE

CROP: PEANUTS.

INSECTS: Potato Leathopper, Thrips, Velvet-bean Caterpillar, Corn Earworm, Armyworm.

DISEASE: Cercospora Leaf Spot.

Apply undiluted as a dust at the rate of 15 pounds per acre when disease or insects first appear. If a heavy rain occurs within twenty-four hours of the first application repeat the application within three days. Repeat applications at ten to twelve day intervals. Application should be made with a dusting machine capable of depositing a thin uniform coating of dust on all above ground plant surfaces.

This material may be applied up to the day of harvest. Peanut tops treated with this material may be used for forage or hay to be fed to livestock.

E. P. A. Reg. No. 279-2844

ACTIVE INGREDIENTS:

*Copper expressed as metallic ----- 3.4%

**Carbaryl (1-naphthyl N-methylcarbamate) ----- 10.0%

Sulfur ----- 70.0%

INERT INGREDIENTS:----- 16.6%
100.0%

*In copper oxide form.

**Sevin, U.S. Pat. Nos. 2,903,478;3,009,855
Sulfur Fineness; 93% thru 325 mesh.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily. Do not contaminate or store near feed or foodstuffs.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

USAGE CAUTIONS

Applications of dusting or spraying materials containing sulfur should not be made just prior to or during periods of excessively high temperatures.

Do not use with lime, Bordeaux, lime sulfur, casein-lime spreaders or other alkaline materials.

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following dusting.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Bags should be disposed of by burying with wastes or by burning. Keep out of smoke.

