

Code 20026

RESTRICTED USE PESTICIDE


Gal. Net Contents

Carolina King Tobacco Spray


DANGER—POISON PRECAUTIONS

Insecticide


WORK SAFETY RULES



POISONOUS IF SWALLOWED



POISONOUS BY SKIN CONTACT



POISONOUS IF BREATHED

POISONOUS IF IN CONTACT WITH EYES

POISONOUS IF IN CONTACT WITH CLOTHING

APPLICATION: Spray tobacco plants with Carolina King Tobacco Spray at the following rates: 1.5 to 2.0 gallons per acre for tobacco plants in the bud stage; 1.0 to 1.5 gallons per acre for tobacco plants in the leaf stage. Apply Carolina King Tobacco Spray to tobacco plants in the bud stage at the following rates: 1.5 to 2.0 gallons per acre for tobacco plants in the bud stage; 1.0 to 1.5 gallons per acre for tobacco plants in the leaf stage.

PRECAUTIONS: Do not apply Carolina King Tobacco Spray to tobacco plants in the bud stage if the temperature is below 50°F or above 90°F. Do not apply Carolina King Tobacco Spray to tobacco plants in the leaf stage if the temperature is below 50°F or above 90°F. Do not apply Carolina King Tobacco Spray to tobacco plants in the bud stage if the wind speed is greater than 10 mph. Do not apply Carolina King Tobacco Spray to tobacco plants in the leaf stage if the wind speed is greater than 10 mph.

EPA Reg. No. 249-066 EPA Est. 249

Directions for Use: Carolina King Tobacco Spray is a restricted use insecticide for the control of tobacco budworm, tobacco rootworm, and tobacco thrips on tobacco plants. It is applied as a spray to tobacco plants in the bud stage or leaf stage. Carolina King Tobacco Spray is a restricted use insecticide for the control of tobacco budworm, tobacco rootworm, and tobacco thrips on tobacco plants. It is applied as a spray to tobacco plants in the bud stage or leaf stage.



See side panels for antidote and precautions.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND FOLLOWING:

Wear a long-sleeved shirt, long pants, and shoes. Wear a respirator or other appropriate respiratory protection. Wear gloves. Do not eat, drink, or smoke while using Carolina King Tobacco Spray. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

Keep out of unprotected persons and children. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

First Aid: If swallowed, do not induce vomiting. If inhaled, move to fresh air. If on skin, wash with soap and water. If in eyes, flush with water. If on clothing, remove clothing. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

NOTE TO PHYSICIAN: Carolina King Tobacco Spray contains the active ingredient chlorpyrifos. It is a cholinesterase inhibitor. Symptoms of poisoning include nausea, vomiting, diarrhea, and muscle weakness. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

KEEP OUT OF REACH OF CHILDREN. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

DO NOT SWALLOW. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

DO NOT BREATHE. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

POISONOUS BY SKIN CONTACT. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

POISONOUS IF SWALLOWED. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

POISONOUS IF IN CONTACT WITH EYES. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

POISONOUS IF IN CONTACT WITH CLOTHING. Do not use Carolina King Tobacco Spray in the presence of children or other persons who should not be exposed to the pesticide.

CAM Corporation
Agricultural Chemical Division
1000 Market Street
Cincinnati, Ohio 45202

KEEP OUT OF REACH OF CHILDREN.

