

CODE
20026



GAL.
NET

CAROLINA KING TOBACCO SPRAY


INSECTICIDE

EPA Reg. No. 279-2860

ACTIVE INGREDIENTS

| | |
|---|--------|
| Permethrin | 6.2% |
| Endosulfate, Hexachlorocyclopentadiene | |
| 2,4-Dichlorophenoxyacetic acid | 12.5% |
| Nonyl phenol aromatic petroleum solvent | 75.7% |
| INERT INGREDIENTS | 5.6% |
| O. O. Dithal O-methyl propyl phosphorothioate | 100.0% |
| Trade Name U.S. Patent No. 2,799,657 | |

Contains 0.5 lb. of actual Dithal per gal. 1.0 lb. of actual Dithal per gallon.



DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

BEFORE USING, READ THE PRECAUTIONARY STATEMENTS, HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment areas. Field posters may be obtained from your Niagara Salesman or dealer.

Dithal is a registered trademark of Canadian Hoechst Limited.



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, N. Y. 14105

USAGE /UT:O:IS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSAL

Do not contaminate water by cleaning of equipment or disposal of wastes. Wash equipment and containers and DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container, smash or perforate and bury with wastes.

DO NOT CONTAMINATE FEED OR FOODSTUFFS

DO NOT USE IN UNDILUTED FORM

DO NOT STORE BELOW 20 ° F.

WARNING! FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EX. USE FROM NON-CONTROLLABLE CONDITIONS: Because of certain special conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

TOBACCO: Budworm, Tobacco Suckly - Use 3 to 4 pints per acre. Cabbage Looper, Flea Beetle, Green Peach Aphid, Hornworm - Use 2 to 4 quarts per acre. Vegetable Weevil - Use 4 quarts per acre. Do not apply within 5 days of pruning or within 15 days of cutting. Do not enter fields within 24 hours of application. Protective clothing should be worn during applications.

TOBACCO (PLANT BED TREATMENT): Green June Bug Larvae - Use 2 pints per 100 gallons at first sign of larval activity. Apply as a drench using 1 gallon of spray mixture per square yard of plant bed.



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

NOT FOR HOME USE

**CODE
20025**



**GAL.
NET**

STOP! READ THE LABEL!

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

CAROLINA KING TOBACCO SPRAY

ACTIVE INGREDIENTS:

Parathion: O, O-Diethyl O-p-nitrophenyl thiophosphate 6.2%

Endosulfan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) 12.5%

Xylene base aromatic petroleum solvent 75.7%

INERT INGREDIENTS:

5.6%



NIAGARA CHEMICAL DIVISION

FMC CORPORATION

MIDDLEPORT, N. Y. 14105

**USE ONLY WHEN WEARING
FOLLOWING PROTECTIVE
EQUIPMENT AND CLOTHING**

1. Wear water proof pants, coat, hat, boots or rubber overshoes.
2. Wear goggles.
3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
4. Wear heavy duty, natural gloves.

WORK SAFETY RULES

Keep all unprotected persons and children from treated area or where there is drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and go right away. Call a doctor, physician, or hospital immediately. Explain that the person has been exposed to parathion and describe condition. After first aid is given see First Aid Treatment Section and if a doctor cannot take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash with soap and water. Always wash hands and arms with soap and water before eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 279 2860



STOP! READ THE LABEL!



CAN KILL YOU

**GAL.
NET**

DANGER
Keep out of reach
of children

**USE ONLY WHEN WEARING THE
FOLLOWING PROTECTIVE
EQUIPMENT AND CLOTHING**

1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician, clinic or hospital)—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 279-2860

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of the combination product are likely to be those of parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**For emergency assistance call
716 — 735-3765**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

Printed in U. S. A.

LINA KING TOBACCO SPRAY

| | |
|--|-------|
| INGREDIENTS: | |
| Diethyl O, O-Diethyl O-p-nitrophenyl thiophosphate | 6.2% |
| Alfan (Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin oxide) | 12.5% |
| base aromatic petroleum solvent | 75.7% |
| ADJUVANTS: | 5.6% |

NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, N. Y. 14105

**GAL.
NET**

DANGER

**Keep out of reach
of children**

ACCO SPRAY

hipin oxide)

6.2%
12.5%
75.7%
5.6%

VISION

5

**USE ONLY WHEN WEARING THE
FOLLOWING PROTECTIVE
EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 279-2860



POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**For emergency assistance call
716 — 735-3765**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

Printed in U. S. A.

CODE
20026



GAL.
NET

CAROLINA KING TOBACCO SPRAY

INSECTICIDE

EPA Reg. No. 279-2860

ACTIVE INGREDIENTS:

| | |
|--|-------|
| *Parathion | 6.2% |
| **Endosulfan (Hexachlorocyclohexane) thion | 12.5% |
| 2,4,3-benzodioxathiepin oxide | 75.7% |
| Xylene base aromatic petroleum solvent | 5.0% |

INERT INGREDIENTS

| | |
|--|--------|
| O, O-Diethyl O-p-nitrophenyl thiophosphate | 100.0% |
| **Thiodan U.S. Patent No. 2,799,685 | |

Contains 0.5 lb. of actual Parathion and 1.0 lb. of actual Thiodan per gallon.



DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY, SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara Salesman or dealer.

Thiodan is a registered trademark of Canadian Hoechst Limited.



NIAGARA CHEMICAL DIVISION

PMC CORPORATION

MIDDLEPORT, N. Y. 14105

USAGE / CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSAL

Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse equipment and containers and **DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container, smash or perforate and bury with wastes.

DO NOT CONTAMINATE FEED OR FOODSTUFFS

DO NOT USE IN UNDILUTED FORM

DO NOT STORE BELOW 20° F.

WARNING! FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY - Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

DAMAGES - Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS - Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR

NOT FOR USE OR STORAGE
AROUND THE HOME

TOBACCO: Budworm, Tobacco Sp...
pints per acre. Cabbage Looper, Flea...
Aphid, Hornworm - Use 2 to 4 quart...
Weevil - Use 4 quarts per acre. 1...
days of priming or within 15 days of...
fields within 24 hours of application...
should be worn during applications.

TOBACCO (PLANT BED TREATMENT)
Bug Larvae - Use 2 pints per 100...
larval activity. Apply as a drench...
mixture per square yard of plant bed.

277-2860