

CODE  
2837



Net Contents  
1/2 Gallon

# FURADAN® 4 FLOWABLE

INSECTICIDE

EPA REG. NO. 279-2876

ACTIVE INGREDIENT:

|                              |               |
|------------------------------|---------------|
| *Carbofuran . . . . .        | 43.8%         |
| INERT INGREDIENTS: . . . . . | 56.2%         |
|                              | <u>100.0%</u> |

\*2,3-dihydro-2,2-dimethyl-7-benzofuranyl methylcarbamate  
This product contains 4 lb. of carbofuran per gallon.

**DANGER - POISON**   
**KEEP OUT OF REACH OF CHILDREN**

READ ENVIRONMENTAL AND DISPOSAL CAUTIONS ELSEWHERE ON THIS CONTAINER BEFORE USING.



**NIAGARA CHEMICAL DIVISION**  
FMC CORPORATION  
MIDDLETOWN, N. Y. 14105

**DANGER**

Poisonous by swallowing or inhalation. Do not breathe spray mist. Do not get in eyes. For eyes, get medical attention; in the meantime, flush eyes with plenty of water for at least 15 minutes. Avoid contact with skin. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Furadan protection. For Emergency Assistance Call 716-735-3765

FIRST AID

If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomitus is clear. Have victim lie down and remain quiet. Call a physician immediately.

If inhaled, have victim lie down and remain quiet. Call a physician immediately.

If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water.

ANTIDOTE

To Physician: Furadan is a reversible cholinesterase inhibitor. Treatment of severe poisoning should include the use of atropine. Do not use oximes such as 2-PAM.

**Dealers Should Sell in Original Packages Only.**

**TERMS OF SALE OR USE:** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY:** Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purpose set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

**ENVIRONMENTAL AND DISPOSAL CAUTIONS**

**NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

**ENVIRONMENTAL CAUTIONS:**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DISPOSAL WARNING:**

Do not reuse this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Bury the container in the same manner.

**DIRECTIONS FOR USE ON ALFALFA**

Furadan has a long residual life against alfalfa weevil larvae and can be applied earlier than other insecticides for the best control of this pest.

Apply shortly after first larval feeding is observed. Make only one application per season and use the dosage rate most suitable for your needs, observing the interval between application and harvest. Apply only to pure stands of alfalfa.

| <u>Pints of Furadan<br/>4 Flowable/Acre</u> | <u>Cut-Off Time</u> |
|---|---------------------|
| 2   | 28 days             |
| 1   | 14 days             |
| 1/2   | 7 days              |

Using ground equipment, apply minimum of 10 gal. of spray/acre; by air, apply a minimum of 5 gal. of spray/acre.



