

# FURADAN® 4 FLOWABLE

INSECTICIDE

## DIRECTIONS FOR USE

**ALFALFA:** Alfalfa Weevil Larvae, Egyptian Alfalfa Weevil Larvae, Pea Aphid, and in N. Y. State for Snout Beetle control — Apply the amount of Furadan 4 Flowable, indicated in the chart, when feeding is noticed or when insects appear. Alfalfa Weevil Adult — Apply 1 to 2 pints per acre when insects appear. Lygus Bugs — Apply 2 pints per acre prior to bloom.

Observe the indicated number of days after application before cutting or grazing. Do not apply more than once per season. Apply only to fields planted to pure stands of alfalfa.

Pints of FURADAN 4 Flowable Per Acre	Do not cut or graze within:
½	7 days
1	14 days
2	28 days

Minimum gallonage requirements: Ten gallons of finished spray per acre with ground equipment, two gallons per acre with aircraft.

**FIELD CORN:** Corn Rootworms—Use 1½ to 2 pints of Furadan 4 Flowable per 13,000 linear feet (1 acre with 40 inch spacing). Apply, at planting, as a 7 inch band over the row or inject on each side of the row by mixing with water or liquid fertilizers. When Furadan 4 Flowable is used with liquid fertilizers, mix in the following way making certain that the mixture is physically compatible: Premix 1 part of Furadan 4 Flowable with 2 parts of water. Add this premix to the tank of fertilizer along with rinsings from the premixing container. Maintain agitation in the tank after mixing and during application. Do not mix until ready to use

**SUGARCANE:** Sugarcane borer—Apply 1 to 1½ pints Furadan 4 Flowable per acre using ground or aerial equipment. Check sugarcane fields weekly, beginning in early June and continuing through August. Make first application only after visible joints form and 5% or more of the plants are infested with young larvae feeding in or under the leaf sheath and which have not bored into the stalks. Repeat whenever field checks indicate the infestation exceeds 5 percent. Do not apply within 17 days of harvest. Do not use in Hawaii.

MANUFACTURED IN U.S.A. BY  
**FMC CORPORATION**  
AGRICULTURAL CHEMICAL DIVISION  
MIDDLEPORT, N. Y. 14105



**DANGER-POISON**

**KEEP OUT OF REACH OF CHILDREN**

READ ENVIRONMENTAL AND DISPOSAL  
CAUTIONS ELSEWHERE ON THIS CONTAINER  
BEFORE USING

EPA REG. NO. 279-2876AA

### ACTIVE INGREDIENTS:

\*Carbofura.....40.64%

INERT INGREDIENTS:.....59.36%

100.0%

\*2,3-dihydro-2,2-dimethyl-7-benzofuranyl methylcarbamate  
This product contains 4 lbs. of carbofuran per gallon.

Furadan is a registered trademark of FMC Corporation

**SHAKE WELL BEFORE USE.**

### ENVIRONMENTAL AND DISPOSAL CAUTIONS


NOT FOR USE OR STORAGE IN OR AROUND THE HOME

#### ENVIRONMENTAL CAUTIONS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not move bees into Alfalfa fields within 7 days of application.

#### DISPOSAL WARNING:

Do not reuse this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Bury the container in the same manner.



## DANGER

Poisonous by swallowing or inhalation. Do not breathe spray mist. Do not get in eyes. For eyes, get medical attention; in the meantime, flush eyes with plenty of water for at least 15 minutes. Avoid contact with skin. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Furadan protection. For Emergency Assistance Call 716-735-3765.

## FIRST AID

If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomitus is clear. Call a physician immediately.

If inhaled, remove to fresh air. Call a physician immediately.

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

## ANTIDOTE

**To Physician:** Furadan is a reversible cholinesterase inhibitor. Do not use oximes such as 2-PAM. Give atropine 2 mg. intravenously or subcutaneously. If in eye instill one drop of Homatropine.

**Dealers Should Sell in Original Packages Only.**

**TERMS OF SALE OR USE:** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY:** FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purpose set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

**FMC Chemicals**

279-2876  
11.19.73

1052

**ACCEPTED**

**NOV 19 1973**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

279-2876