

CODE
20132

ZINEB 6 PHOS KIL 4 DUST

FUNGICIDE - INSECTICIDE

NET WEIGHT
50 LBS.

DIRECTIONS FOR USE

This material is a combination fungicide-insecticide dust intended for use on tomatoes, celery and cucurbits for the control of certain insects and diseases. Where insects are not a problem the use of Niagara Zineb 4 Dust may be preferable.

CROP	PESTS TO BE CONTROLLED
Celery	Aphids, Serpentine leafminer, Early blight, Late blight

Apply 20 pounds per acre beginning when plants are set and repeat at 5 to 7 day intervals. Do not apply within 21 days of harvest. Remove residue by washing and stripping.

Tomatoes	Aphids, Serpentine leafminer, Tomato hornworm, Stinkbug, Leaf-footed plant bug, Flower thrips, Early blight, Late blight, Gray leafspot.
----------	--

Apply at the rate of 20 pounds per acre. Make first application when plants become established in the field and repeat at 4 to 7 day intervals. Do not apply within 10 days of harvest.*

Cucumbers	Aphids, Melonworm, Pickleworm,
Cantaloupes	Serpentine leafminer, Squash
Squash	bug, Downy mildew, Anthracnose
Melons	


Begin application when plants start to vine and repeat at 7 to 10 day intervals using 20 pounds per acre. Do not apply within 15 days of harvest on cucumbers and squash*; do not apply within 7 days of harvest on melons and cantaloupes. **WARNING: Do not apply to cucurbits before plants start to vine or unless plants are dry.**

E. P. A. Reg. No. 279-2879

ACTIVE INGREDIENTS:

*Zineb	6.00%
**Parathion	2.00%
INERT INGREDIENTS:	92.00%
	<u>100.00%</u>

*Zinc Ethylene Bisdithiocarbamate
Zinc expressed as metallic 1.42%
**O,O-Diethyl O-p-nitrophenyl
thiophosphate



KEEP OUT OF REACH OF CHILDREN

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in an unconscious person. Call a physician immediately.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: Remove contaminated clothing and shoes immediately. Bathe with soap and water. Call a Physician Immediately.

ANTIDOTE

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration. Pralidoxime chloride (2-PAM) should be used in treatment. For additional assistance call (716) 735-3761.

*Where disease control is of major importance within this period applications of suitable fungicide alone, such as Zineb 4 Dust, is suggested. **DANGER: POISONOUS If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin!** Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.


This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use container. Wash and bury with wastes. **DO NOT BURN.**

Printed in U. S. A.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE AND USE: On purchase of this material, the user agrees to use it in accordance with the label directions.

WARRANTY: Niagara Chemical Division warrants that the material is as described on the label and that it is fit for the uses stated on the label. This warranty is given only as a warranty of the product as such and does not constitute a warranty of the results of its use.

DAMAGES: If any person or entity suffers any damage to any crop, animal, or property as a result of the use of this material, the user shall be liable for such damage. Niagara Chemical Division shall not be liable for such damage unless the user can prove that the damage was caused by the use of this material. No person is authorized to vary or waive any statement contained herein.

EXEMPTION FROM LIABILITY: This material is sold as a general purpose product and is not intended for use in any specific application. Niagara Chemical Division shall not be liable for any damage to any crop, animal, or property as a result of the use of this material in any application other than those specifically stated on the label. No person is authorized to vary or waive any statement contained herein.

MADE IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

