

Code 30458

Net Weight  
50 Pounds

# KELTHANE<sup>®</sup> 4 DUST

## DIRECTIONS FOR USE

Apply Kelthane 4 Dust to the foliage of plants and trees to control mites. Dust may be applied with ground or airplane application equipment. For aerial application, mix with the dust so it will not fly greater than 12 feet above the ground. Observe the interval between last application and harvest indicated by the number in parentheses following the crop.

**BEANS (21-California, 7-other States):** Pacific Spider and Twospotted Spider Mites. Use 30 to 35 pounds per acre. Do not feed treated vines to dairy or meat animals.

**COTTON (14):** Twospotted Spider, Pacific Spider, Strawberry Spider, Desert Spider Mites. Use 30 to 40 pounds per acre. Do not graze treated fields by milk or dairy animals.

**CUCUMBERS (2), MELONS (2), PEPPERS (2), PUMPKINS (2), SQUASH (2), TOMATOES (2):** Twospotted Spider, Pacific Spider, Tropical Spider Mites (Peppers and Tomatoes only), Tomato Russet Mite (Tomatoes only). Use 30 to 35 pounds per acre.

**HOPS (7):** Twospotted Spider and Pacific Spider Mites. Use 30 to 35 pounds per acre. Do not feed treated hop bines to meat or dairy animals.

**ORNAMENTALS; (flowers, nursery stock and shade trees):** To control Mites on greenhouse or outdoor plants. Dust plants for thorough coverage.

**APPLES (7), CRABAPPLES (7), PEARS (7), QUINCES (7):** Twospotted Spider, European Spider, McDaniel Spider, Yellow Spider, Willamette, Pacific Spider and Apple Rust Mites and to clean up late spring populations of European Red and Brown Mites. Use 40 to 100 pounds per acre. Allow 30 days between treatments. Fruit spotting may occur on Pears.

**APRICOTS (14), CHERRIES (7):** McDaniel Spider and Yellow Spider Mites (Cherries only), Brown, European Red, Pacific Spider, Peach Silver, Plum Rust, Twospotted Spider Mites. Use 40 to 80 pounds per acre. Do not repeat application within 30 days.

**BLACKBERRIES (2), BOYSENBERRIES (2), DEWBERRIES (2), LOGAN-BERRIES (2), RASPBERRIES (2):** Twospotted Spider, Pacific Spider, Willamette Mites. Use 30 pounds per acre.

## MITICIDE

EPA REGISTRATION NO. 279-2882 ZA

ACTIVE INGREDIENT:	BY WT.
*1,1-Eis. (p-chlorophenyl)-2,2,2-trichloroethanol	4.00%
INERT INGREDIENTS:	96.00%
	100.00%


\* Trademark Rohm & Haas Co.

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing dust. Avoid storage near feed and food products. Wash thoroughly after handling. Keep away from domestic animals, feed and foodstuffs.

For Emergency Assistance Call  
716-735-3765



**CHESTNUTS (14), FILBERTS (14), HICKORY NUTS (14), PECANS (14), WALNUTS (14):** Brown, European Red, European Red, European Red, Twospotted Mites. Use 40 to 100 pounds per acre.

**CITRUS (Oranges, Grapefruit, Lemons, Limes, Tangeloes, Tangerines, Kumquats) (7):** Citrus Red, Citrus Flat Citrus Red, Spotted and Yuma Mites. Use 50 to 100 pounds per acre.

**FIGS (7):** European Red, Pacific Spider, Twospotted Spider Mites. Use 40 to 50 pounds per acre. Allow 30 days between treatments.

**GRAPES (7):** Twospotted Spider, European Spider, Willamette Mites. Use 30 to 35 pounds per acre. Ground applications are preferred.

**NECTARINES (14), PEACHES (14):** Brown, European Red, McDaniel Spider, Pacific Spider, Peach Silver, Strawberry Spider, Twospotted Spider, Yellow Spider Mites. Use 40 to 80 pounds per acre.

**PLUMS (7), PRUNES (7):** European Red, Brown, Twospotted Spider, McDaniel Spider, Pacific Spider, Peach Silver, Plum Rust Mites. Use 40 to 50 pounds per acre. Do not reapply within 30 days.

**STRAWBERRIES (2):** Twospotted Spider, Strawberry, Spotted Spider Mites. Use 30 to 60 pounds per acre.

### ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, shrimp and crabs. Keep out of streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from the area treated. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bag should be buried with waste or burned. Keep Out of Smoke.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED



**Dealers Should Sell in Original Packages Only.**

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

**TERMS OF SALE OR USE:** On purchase or use of this product, buyer and user agree to the following conditions:

**WARRANTY:** FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or user which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.