CODE 437



KOLO-100

FUNGICIDE

EPA Reg. No. 279-2925

ACTIVE INGREDIENTS:

Sulfur Finances 99.7% thru 325 mesh.

SPECIMEN

ABEL Lec. 8, 1972

CAUTION

279-2985

KEEP OUT OF REACH OF CHILDREN

May cause skin irritation. Avoid contact with skin, eyes or clothing. Avoid inhalation of dust or spray mist. Wear protective clothing. Wash with soap and water after using. Avoid storage near feed and food products.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Rinse equipment and DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

This product contains 13.9% bentonite sulfur. Bentonite sulfur is made by the absorption of fused sulfur into bentonite in the proportions of thirty parts sulfur and seventy parts bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistance on plants, suspensibility in spray tank and safety to host plants.

DIRECTIONS FOR USE

Directions for Missing—Fill the apray tank with water until the agitator blades are covered. Start the engine, and with the agitator in motion sift in slowly the required amount of material, holding the bag well into the tank opening to avoid drifting of dust into the face of the operator. Finish filling the tank and apply immediately. Keep the agitutor running at all times.

Apply the following recommended rates in sufficient water to thoroughly eaver one age. (With ground application equipment use a minimum of 300 gallens of diluted approx per acre on pome fruits and a minimum of 200 gallens of diluted approx per acre per acre on stone fruits.)

APPLE: Stab -- Use 3½ pounds per 100 gallons of water. Apply on a protective schedule at 5 to 7 day intervals from delayed dormant through the early cover sprays. May be applied on applies up to 1 day of harvest; however, for late cover applications another suitable summer fungicide should be used.

PEACH: Brown Rot—For blossom and twig brown rot blossom blight use 3½ pounds per 100 gallons of water at pink bud stage, full bloom and just before shuck fail. When cool, wet weather occurs, resulting in a prolonged bloom period, apply every 4 days. As a preharvest spray use 3½ pounds per 100 gallons of water at 14 and 7 days before harvest. Do not apply within 7 days of harvest.

CHERRY: Brown Rot—Use 3½ pounds per 100 gallons of water. For Twig Brown Rot begin at pink bud. Repeat at full bloom and before shuck shed or every 4 days in cool, wet weather. For Blossom Blight, apply at popcorn, full bloom and petal fall. For Fruit Rot apply at 7 to 10 day intervals from petal fall to 3 days from harvest. Do not apply within 3 days of harvest. PLUM, PRUNE: Brown Rot Blossom Blight, Coryneum Blight—Use 3½ pounds per 100 gallons of water at pink, full bloom and pre-shuck fall or at 4 day intervals during cool, wet weather. Brown Rot Fruit Rot—Apply in cover sprays as needed. Do not apply within 3 days of harvest.

NOTE: DO NOT APPLY WITHIN 10 TO 14 DAYS OF AN OIL SPRAY. DO NOT APPLY PRIOR TO OR DURING PERIODS OF EXCESSIVELY HIGH TEMPERATURES.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBOR-ING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

Code 43



279-2925

LABEL

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGH-BORING CROPS OR NON-CROP AREAS OR USE IN A MAN-NER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UN-DESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE. On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY Niagara warrants that this product, as of the time of sale by Niagara. (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use - EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS - NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED

DAMAGES Buyers or users exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

excuse from NON-CONTROLLABLE CONDITIONS Be cause of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to very or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



1 2 2

1 1 1

NIAGARA CHEMICAL DIVISION FMC CORPORATION MODLEPORT, NEW YORK

