FOR USE

rate should be diluted in water before use at a concentrate to 15 parts water (or ½ pint of n 1 gallon of spray).

ckroaches, ants, spiders, waterougs, silverfish

NDLING ESTABLISHMENTS - Places other residences in which exposed food is held.

S - APPLICATION LIMITED TO CRACK AND REATMENT ONLY.

is for receiving, storage, packing (canning, botig, boxing) preparing, edible waste storage, enissing systems (mills, dairies, edible oils, syrving areas (when food is exposed and facility in).

nected and apply in small amourts directly into revices using equipment capable of delivering of insecticide in points between different elastruction, between equiment and floors, opensor voids and hollow spaces in walls, equipment as where these insects hide. Do not use this induits, motor housings and electrical switch should be taken to avoid depositing the product surfaces or introducing the material into the intermination of food or food processing surfaces.

INS OF THIS PRODUCT IN THE FOOD AREAS INDLING ESTABLISHMENTS OTHER THAN AND CREVICE TREATMENT ARE NOT PER-

EAS - Facilities where foods are served such as but excluding areas where foods may be prepapely as a spot treatment to selective surfaces, boards, under elements of construction and into evices. Avoid treating surfaces likely to be food. (Do not apply when facility is in operation exposed).

REAS - Including garbage rooms, lavatories, to sewers) entries and vestibules, offices, locker ne rooms, boiler rooms, garages, mop closets and canning or bottling). Apply to baseboard areas, pipes, surfaces behind and beneath sinks, lock - allets; and similar areas where insects hide or they may enter. Repeat treatment as required.

rpet beetles: Spray edges of carpeting and under ps. Make localized application to the floor and Spray directly into cracks, crevices, closets and s of shelving. Repeat treatment if reinfestation

windog ticks: Thoroughly spray sleeping quares. Spray infested areas around baseboards, door frames and wall coverings. Fresh bedding vided for animals after treatment. Do not treat eat treatment as necessary.

reducing the annoyance of flies, mosquitoes, ing moths: Spray outdoor surfaces of screens, informes, light fixtures on tother areas where ay enter. Also spray protected resting places the ceilings and under eaves. Repeat treatment teness diminishes.

presond antenutdoors. For treatment of localans of these inserts in a thour are is, spray shy non-respondent in a treatment of dirigs avoid spraying seriman and insertion in the like in a new way and any and and and Code 935.41

PYRENONE® DIAZINON® E. C.

Insecticide

EPA Reg. No. 279-2935 EPA Est., 279-NY-1

FOR PEST CONTROL OPERATOR USE ONLY

A Water - Emulsifiable Residual Concentrate with Flushing and Quick Knockdown Characteristics

Kills Resistant Roaches -

For Indoor or Outdoor Use

ACTIVE INGREDIENTS:

Pyrethrins	0.94% 4.71%
**0,0-diethyl 0-(2-i sopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	9.00% 75.24%
Petroleum Distillate,. INERT INGREDIENTS:	3.75% 6.35%
	100.00%

 $(t,y) \stackrel{\infty}{\longrightarrow} (t,y)$

PYRENONE - FMC trademark


CAUTION KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

1 Gallon - Net Contents



FMC Corporation
Agricultural Chemical Division
Middleport New York 14105



CAUTION: Harmful if swallowed. Do not allow spray to contact food, feed stuffs, or water supplies. Thoroughly wash dishes and food handling utensils if contaminated by this spray. May be absorbed through the skin. Avoid breathing of spray mist. Avoid contact with .kin, eyes, or clothing. Wash thoroughly after handling.

Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are completely dry.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Dealers Should Sell in Original Packages Only.

Terms of sale or use On purchase or use of this product buyer and user agree to the following conditions:

Warranty FMC warrants that this product, as of the time of sale by FMC. (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. Except as so warranted the product is sold as is. FMC makes no other warranty express or implied.

Damages Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

Excuse from non-controllable conditions Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

^{*}Equivalent to 3.768% (butylcarbityl) (6-propylpiperonyl) ether and to .942% of related compounds

^{**}DIAZINON trademark of Ciba-Geigy Corp.,