

Code 31509

Pounds Net Weight

Sevin® Metaldehyde Snail Pellets Insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-2936

EPA Est., 279-

Active Ingredients:	By Wt.
Carbaryl (1-naphthyl N-methylcarbamate) ..	4.00%
Metaldehyde	2.00%
Inert Ingredients:	94.00%
	100.00%

©Union Carbide Corporation

KEEP OUT OF REACH OF CHILDREN

WARNING

Note to Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.


For Emergency Assistance Call 716-736-3785.

See Other Panels for Additional Precautionary Information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

PA 11 80



PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Warning

This material may be fatal if eaten by dogs, other pets or children. Keep children and pets out of treated area. Follow label directions and use with care.

Harmful or fatal if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with skin or eyes. Wash hands and face before eating or smoking. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

Avoid contamination of food, feeding troughs and watering receptacles.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift from the area treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinseate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of containers in an incinerator or landfill approved for pesticide containers or bury in a safe place. Do not reuse this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

Do not use except as specified on this label. Observe all precautionary and warning statements. Apply this material with equipment which is capable of directing the pellets to the soil surface. Scatter pellets liberally (do not pile) using the recommended amount for each crop. If the ground is dry, sprinkle lightly with water. Repeat as necessary. Do not contaminate the edible parts of any crops.

Apples, Cherries, Nectarines, Peaches, Pears, Plums: Slugs, Snails—Use 30 pounds per acre.

Asparagus: Slugs, Snails—Use 30 pounds per acre. Surface-feeding Cutworms—Use 80 pounds per acre.

Asparagus, Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Corn, Eggplant, Endive, Horseradish, Kale, Kohlrabi, Lettuce, Onions, Potatoes, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rutabagas, Spinach, Swiss Chard: Slugs, Snails—Use 25 pounds per acre. Surface-feeding Cutworms—Use 80 pounds per acre except on Pumpkins.

Blackberries, Raspberries, Leguminous, Rhubarb, Spokenberries: Slugs, Snails, Surface-feeding Cutworms—Use 80 pounds per acre. Citrus: Slugs, Snails, Surface-feeding Cutworms—Use 80 to 90 pounds per acre.

Corn, Wheat, Oats, Rye: Surface-feeding Cutworms—Use 50 pounds per acre.

Cucumbers, Melons, Squash: Slugs, Snails, Surface-feeding Cutworms—Use 25 pounds per acre.

Grapes: Slugs, Snails—Use 30 pounds per acre.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(31509-11/80-PA)