

Code: 30688

TERRACLOR® 6.5 THIMET® 6.5 GRANULAR

DIRECTIONS FOR USE

Terraclor® 6.5 Thimet® 6.5 Granular is an effective preplanting treatment for protection against certain seedling diseases and insects of cotton.

COTTON: Rhizoctonia, early season Thrips, Aphids, Mites and Leafminers — Use 10 to 15 pounds per acre for a 40 inch row spacing (0.8 to 1.16 pounds per 1000 feet of row). On above disease control plus control of Mites, Thrips, Aphids, Black Cutworms, Leafhoppers, Whiteflies and Leafminers use 15 pounds per acre for a 40 inch row spacing (1.16 pounds per 1000 feet of row). Distribute the granules evenly in the furrow at planting time. Soil temperature and tilth should be favorable for good germination and emergence. Under adverse planting conditions plant stand may be affected. Do not allow the feeding or grazing of cotton foliage by livestock. Do not plant any root crop not registered for Terraclor® in rotation on Terraclor® treated soil.

Not for use or storage in or around the home.

For Emergency Assistance Call: 716-735-3765

FIRST AID TREATMENT: CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED THIMET phorate POISONING: If symptoms or signs of poisoning, (See Physician's Note), include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grains) at once. Remove patient immediately from the area where THIMET phorate is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of THIMET phorate. If swallowed, induce vomiting by giving warm salty or soap water. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

055W


MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA.

YAKIMA, WA
RICHMOND, CA



FUNGICIDE-INSECTICIDE

EPA REGISTRATION NO. 279-2938 AA

Thimet is a Systemic Insecticide

ACTIVE INGREDIENTS:	BY WT.
*Phorate	6.50%
Pentachloronitrobenzene	6.50%
INERT INGREDIENTS:	87.00%
	<u>100.00%</u>

*0,0-Diethyl S-(ethylthio)methyl phosphorodithioate



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

ANTIDOTES

CALL A PHYSICIAN IMMEDIATELY. **If Swallowed:** Give a Tablespoonful of Salt in a glass of warm water and repeat until vomiting occurs and vomit fluid is clear. Have victim lie down and keep quiet. **If On Skin:** In case of contact, remove contaminated clothing and immediately wash skin with soap and water. ATROPINE IS ANTIDOTAL.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DISPOSE OF WASTES: Disposal should be in accordance with State and local regulations.

Physicians Note: Warning symptoms: tightness in chest, blurred vision, miosis, salivation, sweating, nausea, vomiting, diarrhea. **Treatment:** Give atropine, preferably three or more tablets at once and evaluate. Thirty or more tablets may be given. Never give morphine. Clear airway. Give artificial respiration or oxygen administration. Monitor patient continuously for 48 hours. Reversal agents: cholinesterase inhibitors may, without warning, cause severe symptoms. Give very small doses of any cholinesterase inhibitor until time for cholinesterase activity as determined by blood tests.

DANGER: Poisonous If Swallowed. Rapidly Absorbed Through Skin. Wear natural rubber gloves. In case of contact, wash immediately. Wear a mask or respirator of a type approved by the Dept. of Mines for phorate protection. Keep away from operating areas or vicinity where residues have dissipated. Do not feed and food products. Wash hands with soap and hot water after use. Wash and re-use. Keep away from domestic animals.

Thimet® Trademark American Cyanamid Co.
Terraclor® Trademark Olin Corporation

Dealer Should Sell in Original Container
WARRANTY: FMC warrants that this product conforms to the ingredient statement on the label for the purposes set forth in the Directions for Use. THIS PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY.

FMC Chemicals

TERRACLOR[®] 6.5 THIMET[®] 6.5 GRANULAR

Net Weight
50 Pounds

USE DIRECTIONS FOR USE

Granular is an effective preplanting treatment for certain seedling diseases and insects.

Apply 50 pounds per acre for a 40 inch row (1.16 pounds per 1000 feet of row). On above ground crops (Mites, Thrips, Aphids, Black Cutworms and Leafminers use 15 pounds per acre) apply evenly in the furrow at planting time. Conditions should be favorable for good germination. If planting conditions plant stand may be affected by feeding or grazing of cotton foliage by insects not registered for Terraclor[®] in soil.

Keep out of the home.

Call: 716-735-3765

CALL A PHYSICIAN AT ONCE IN ALL CASES OF POISONING: If symptoms or signs (see Note), include blurred vision, abdominal pain in the chest, don't wait for a doctor (each 1/100 grains) at once. Remove clothing and wash the skin clean with water to remove all traces of THIMET. Stop vomiting by giving warm salty or down and keep quiet.

DO NOT GIVE TO AN UNCONSCIOUS PERSON.

ACCEPTED
JUN 26 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-2938 AA

FUNGICIDE-INSECTICIDE

EPA REGISTRATION NO. 279-2938 AA

Thimet is a Systemic Insecticide

ACTIVE INGREDIENTS:	BY WT.
*Phorate	6.50%
Pentachloronitrobenzene	6.50%
INERT INGREDIENTS:	87.00%
	<u>100.00%</u>

*0,0-Diethyl S-(ethylthio)methyl phosphorodithioate

 **DANGER - POISON** 

KEEP OUT OF REACH OF CHILDREN

ANTIDOTES

CALL A PHYSICIAN IMMEDIATELY. **If Swallowed:** Give a Tablespoonful of Salt in a glass of warm water and repeat until vomiting occurs and vomit fluid is clear. Have victim lie down and keep quiet. **If On Skin:** In case of contact, remove contaminated clothing and immediately wash skin with soap and water. ATROPINE IS ANTIDOTAL.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DISPOSE OF WASTES: Disposal should be in accordance with State and local regulations.

Physicians Note: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **Treatment:** Give atropine, preferably by injection, grains 1/100 three or more tablets at once and every hour as required until pupils dilate. Thirty or more tablets may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DANGER: Poisonous If Swallowed, Inhaled, or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for phorate protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not store near or contaminate feed and food products. Wash hands, arms and face thoroughly with soap and hot water after use. Wash all clothing thoroughly before re-use. Keep away from domestic animals.

Thimet[®] Trademark American Cyanamid Company.

Terraclor[®] Trademark Olin Corporation.

Dealer Should Sell in Original Packages Only.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

FMC Chemicals