

Code 30688

Net Weight
Pounds

Terraclor® 6.5 Thimet® 6.5 Granular

Fungicide - Insecticide

For Commercial or Agricultural Use Only

EPA Reg. No. 279-2938 AA EPA Est. 279

Active Ingredients:
*Phorate 6.50%
Pentachloronitrobenzene 67.00%

Inert Ingredients:

Bulk Weight:
6.50%
67.00%

*C. C. Diethyl Sulfide, Phosphate, and other inert ingredients.
Thimet® Trademark American Cyanamid Company
Terraclor® Trademark Chlorine Corporation
Thimet is a system of registration.

KEEP OUT OF REACH OF CHILDREN

☠ DANGER—POISON ☠

First Aid

If swallowed: Do not induce vomiting. Give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water. If unconscious, give 1-2 glasses of water.

If on skin: Remove contaminated clothing. Wash skin with soap and water. If on face, wash with soap and water. If on eyes, wash with soap and water.

CALL A PHYSICIAN AT ONCE. Give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water.

Note To Physician: Administer 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water.

Treatment: Give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water. If unconscious, give 1-2 glasses of water. If conscious, give 1-2 glasses of water.

For Emergency Assistance Call 1-800-368-3765

See Other Panel for Additional Precautionary Information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia, Pennsylvania 19103

PRECAUTIONARY STATEMENTS

Hazards To Humans (and Domestic Animals)

Danger

Poisonous if swallowed. May be absorbed through skin. Rapidly absorbed through skin. Do not get on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. Wear a mask or respiratory protection jointly approved by the Mining Enforcement and Safety Administration, formerly the U.S. Bureau of Mines and the National Institute for Occupational Safety and Health. Keep an unprotected person out of the operating area or vicinity where there may be danger of drift. Evacuated areas should not be re-entered until drifting is ended and dust and fumes have dissipated. Wash thoroughly with soap and water after handling and before eating or smoking. Wash all clothing thoroughly before reuse. Keep away from children and domestic animals.

Environmental Hazards

Toxic to fish, birds, and wild life. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where weather conditions favor drift from area treated. Do not apply where rain is expected. Apply this product only as directed on the label.

Do not use on crops or plants which are known to be sensitive to this product. Do not use on crops or plants which are known to be sensitive to this product.

DIRECTIONS FOR USE

Read label of Terraclor 6.5 Granular carefully before use. Do not use on crops or plants which are known to be sensitive to this product.

Storage and Disposal

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not use on crops or plants which are known to be sensitive to this product. Do not use on crops or plants which are known to be sensitive to this product.

Do not use on crops or plants which are known to be sensitive to this product. Do not use on crops or plants which are known to be sensitive to this product.

Cotton: Rhizoctonia, Early season Thrips, Aphids, Mites and Leafminers. Use 10 to 15 pounds per acre for a 40 inch row spacing. 0.8 to 1.6 pounds per 1000 feet of row. In the seed stage, use 1.6 to 3.2 pounds per 1000 feet of row. Mites, Thrips, Aphids, Black Cutworms, Leafhoppers, Ants, Fleas and Leafminers use 1.6 to 3.2 pounds per acre for a 40 inch row spacing. 1.6 to 3.2 pounds per 1000 feet of row. Distribute the granules evenly in the furrow at planting time. Soil temperature and moisture should be favorable for good germination and emergence. Under adverse planting conditions, yield stands may be affected. Do not allow the feeding or grazing of cotton foliage by livestock. Do not plant any root crop not registered for Terraclor® in rotation or Terraclor® treated soil.

Dealers Should Sell in Original Packages Only

Terms of Sale or Use: Only use on crops or plants which are known to be sensitive to this product.

Warranty: FMC makes no warranty, expressed or implied, for any use not recommended on the label. Except as so warranted, the user assumes all liability for any loss or damage resulting from the use of this product.

Directions and Recommendations: Read label of Terraclor 6.5 Granular carefully before use. Do not use on crops or plants which are known to be sensitive to this product.

Use of Product: Do not use on crops or plants which are known to be sensitive to this product. Do not use on crops or plants which are known to be sensitive to this product.

Damages: Do not use on crops or plants which are known to be sensitive to this product. Do not use on crops or plants which are known to be sensitive to this product.