

Code: 30318

[279-2956]

Net Weight
50 Pounds

MANUFACTURED:

SULFUR 25 DIBROM^{®**} 4 SEVIN^{®*} 10 DUST

GUARANTEE EXPIRES:

DIRECTIONS FOR USE

Apply when insects or disease first appear and repeat as necessary. For insect or disease control beyond the time limitations of this product use a suitable material. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in parentheses following the crop.

BEANS (4): Bean Leaf Beetle, Cucumber Beetles, Flea Beetles, Leafhoppers — Use 10 pounds per acre. Corn Earworm, Stink Bug, Tarnished Plant Bug — Use 15 pounds per acre. **California:** Lygus Bug, Lima Bean Pod Borer — Use 20 pounds per acre. Sulfur may injure certain varieties; check tolerance to sulfur prior to use.

BROCCOLI (3), BRUSSELS SPROUTS (3), CABBAGE (3), CAULIFLOWER (3): Flea Beetles, Harlequin Bug — Use 10 pounds per acre. Armyworm, Corn Earworm, Cabbage Looper, small — Use 20 pounds per acre. For control of Small Cabbage Loopers, after edible parts start to form, apply, at 5 to 7 day intervals.

COLLARDS (14), KALE (14), TURNIPS (Roots - 3 Tops - 14): Flea Beetle, Harlequin Bug — Use 10 pounds per acre. Leafhoppers, Armyworm, Corn Earworm, Tarnished Plant Bug, Stink Bug, Cabbage Looper, small — Use 20 pounds per acre. For control of Small Cabbage Loopers, after edible parts start to form, apply, at 5 to 7 day intervals.

COTTON (4): Early Season: Thrips, Flea Beetle, Cotton Fleahopper, Cotton Leafworm, Striped Blister Beetle — Use 10 pounds per acre. **Mid to Late Season:** Boll Weevil, Bollworm, Fall Armyworm, Cotton Leafperator, Leafrollers, Leafhoppers, Tarnished Plant Bug, Lygus Bug, Aphids, suppression — Use 20 pounds per acre. Pink Bollworm, Stink Bug, Saltmarsh Caterpillar — Use 25 pounds per acre. Grasshoppers — Use 15 pounds per acre.

GRAPES (4): Powdery Mildew, Grape Leafhopper, Grape Leafroller, Grape Leaf Skeletonizer, Thrips, Drosophila — Use 20 pounds per acre. Ground application preferred. Do not apply to Concord, Italia, or other Vitis varieties as fruit injury may occur.

LETTUCE (Head - 3, Leaf - 14), SPINACH (14), SWISS CHARD (14): Flea Beetle, Harlequin Bug, Leafhoppers — Use 10 pounds per acre. Armyworms, Corn Earworm, Tarnished Plant Bug, Stink Bug, Cabbage Looper, small — Use 20 pounds per acre. For control of Small Cabbage Looper, after edible part start to form, apply, at 5 to 7 day intervals. Apply, at 5 to 7 day intervals for control of Corn Earworm, on lettuce after heads start to form.

PEACHES (4): (Western States): Aphids, Fruit Fly, Red-Spinner Mites, Lygus Bug, Thrips, Oriental Fruit Moth, Peach Twig Borer, Pear and Citrus Codling Moth, Tussock Moth. Use 50 to 60 pounds per acre. For Citrus Moth, apply, at petal fall and every 10 to 14 days thereafter until control is achieved.

PEPPERS (1): Colorado Potato Beetle, Flea Beetle, Leafhoppers — Use 10 pounds per acre. Fall Armyworm, Corn Earworm, Tomato Hornworm, Tarnished Plant Bugs, Stink Bugs, Aphids, Leafminer — Use 20 pounds per acre.

FUNGICIDE-INSECTICIDE

EPA REG. NO. 279-2956 AA

ACTIVE INGREDIENTS:	BY WT.
*Carbaryl 1-naphthyl N-methylcarbamate	10.00%
**Naled: 1, 2-dibromo-2, 2-dichloroethyl dimethyl phosphate	4.00%
Sulfur	25.00%
INERT INGREDIENTS:	61.00%
	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. May cause irritation of eyes, nose and throat. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

STRAWBERRIES (4): Powdery Mildew, Meadow Spittlebug, Strawberry Leafroller, Strawberry Weevil — Use 20 pounds per acre.

TOMATOES (1): Colorado Potato Beetle, Flea Beetle, Leafhoppers — Use 10 pounds per acre. Fall Armyworm, Tomato Fruitworm, Tomato Hornworm, Tarnished Plant Bug, Stink Bug, Tomato Russet Mite, Fruit Fly, Twospotted Spider Mite, Aphid, Leafminer — Use 20 pounds per acre.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to trees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

Some phytotoxicity may occur on tender foliage in presence of rain or high humidity of several days duration following application.

Applications of materials containing sulfur should not be made just prior to or during periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.


May corrode metal dust equipment; clean equipment after use.

STORE IN COOL, DRY PLACE.

For Emergency Assistance Call
716-735-3765

DIBROM is a registered trademark of Chevron Chemical Company. U.S. Patent No. 2,971,882.

*Trademark of Union Carbide for the active ingredient carbaryl.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



22-1100-0100

BY APPOINTMENT ONLY

NOT FOR SALE

22-1100-0100

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals