

Code 3299

Net Weight Pounds

Botran®* 6 Captan 10 Sulfur 25 Dust Fungicide

For Agricultural or Commercial Use Only.

EPA Reg. No. 279-2963

EPA Est.,

Active Ingredients:	By Wt.
*2,6-Dichloro-4-nitroaniline	6.00%
Sulfur	25.00%
Captan; N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	10.00%
Inert Ingredients:	59.00%
	100.00%

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Warning

Harmful if swallowed. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. In case of contact, remove contaminated clothing and wash with soap and water. For eyes, flush with water and call a physician. Do not feed treated forage to livestock. Avoid contamination of feed and feedstuffs.

Environmental Hazards

This product is toxic to fish, birds, and bees, ponds, and streams. Do not contaminate water, streams, or equipment or disposal of waste. Do not apply under conditions favoring drift from areas treated. Do not apply where runoff is likely to occur. Apply this product only as directed on the label.

Physical or Chemical Hazards

Applications of materials containing sulphur should not be made just prior to or during periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

WARNING

Area treated with Botran 6 Captan 10 Sulfur 25 Dust on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.


KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTION: Do not use on lawns, no use este producto en jardines. No use en días lluviosos o con riego.

For Emergency Assistance Call 716-735-3786.

See Other Panels for Additional Precautionary Information.



FMC.

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

8/480-A
PA 683-R

pg 2082 279-2963

Storage and Disposal

Pesticide Storage
Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call PNC collect: (716) 735-3786.

To confine spill: If liquid, dilute surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal
Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Do not use for dried fruit.

Apply when disease first appears and repeat as necessary to maintain control. May be applied by ground or air. Do not allow workers to re-enter treated area to engage in any activity requiring substantial contact with treated foliage within 24 hours of application. Observe days interval between last application and harvest indicated by number in () following crop.

Grapes (1): Botrytis Rot (Bunch Rot), Storage Rot and Powdery Mildew—Use 30 pounds per acre. Begin application while clusters are loose and repeat at two week intervals. Ground application equipment preferred. Concord and other Labrusca type grapes may be injured by sulphur.

Nectarines (1): Brown Rot, Rhizopus Rot and Powdery Mildew—Use 50 pounds per acre.

Peaches (1): Brown Rot or Blossom Blight (Monilinia), Peach Scab and Powdery Mildew—Use 60 pounds per acre. Apply at pink bud and full bloom. **Fruit Decay (Monilinia), Brown Rot (Rhizopus) and Powdery Mildew**—Use 60 pounds per acre. Apply 18 days, 10 days and 1 day prior to harvest.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

©TUCO Products Company—Division of The Upjohn Company
FMC—FMC Trademark (3299-8/83-R)