

Code: 31338

Net Weight

METHYL PARATHION 2.5 THIODAN® 2.5 TOXAPHENE 10 DUST

50 Pounds

DIRECTIONS FOR USE

Apply when insects first appear and repeat as necessary. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in () following the crop.

GREEN AND LIMA BEANS (21), DRY BEANS (15): Aphids, Bean Leaf-skeletonizer, Mexican Bean Beetle, Black Bean Aphid, Cucumber Beetles, Green Stink Bug — Use 40 pounds per acre. Do not apply more than 3 times per season. Do not feed treated threshings to livestock or allow to graze in treated fields. Do not use on lima beans that are to be removed from the field for processing.

BROCCOLI (30), CABBAGE (21): Cabbage Looper, Imported Cabbage-worm, Diamondback Moth Larvae, Cross-Striped Cabbageworm, Flea Beetles, Stink Bugs, Leafhoppers, Aphids — Use 40 pounds per acre. Close trim outer leaves at harvest. Do not apply after heads or edible parts start to form.

BRUSSELS SPROUTS (30), CAULIFLOWER (30): Aphids, Cabbage Looper, Leafhoppers, Cross-Striped Cabbageworm, Diamondback Moth Larvae, Flea Beetles, Harlequin Bug, Imported Cabbageworm — Use 40 pounds per acre. Do not apply after edible parts start to form.

CELERY (15): Cabbage Loopers, Aphids, Armyworms, Climbing Cutworms, Imported Cabbageworm, Fall Armyworm — Use 40 pounds per acre. Apply when insects first appear and repeat as necessary. Do not apply more than 3 times per season. Do not apply after plants start to bunch or after plants are half mature.

LETTUCE (21): Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm, Armyworms, Flea Beetles, Leafhoppers — Use 24 pounds per acre. On Leaf Lettuce do not apply after the seedling stage. On Head Lettuce do not apply after heads begin to form. Do not apply more than 3 times after thinning. Remove outside leaves at harvest. Do not feed crop waste to livestock.

PEPPERS (15): Flea Beetle, Green Peach Aphid, Pepper Maggot, Leafhopper, Armyworms, Hornworms — Use 24 pounds per acre. Do not apply after peppers begin to form.

TOMATOES (15): Aphids, Flea Beetle, Hornworm, Colorado Potato Beetle, Psyllid, Whitefly, Stinkbug, Tomato Fruitworm, Cabbage Looper, Yellow-striped Armyworm, Leafhopper, Russet Mite — Use 40 pounds per acre.

WATERMELONS (grown commercially): Aphids, Cabbage Looper, Armyworms, Whitefly — Use 40 pounds per acre.

INSECTICIDE

EPA REG. NO. 279-2966 AA

ACTIVE INGREDIENTS:	BY WT.
*0,0 Dimethyl 0-p-nitrophenyl phosphorothioate	2.50%
Endosulfan; Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide	2.50%
**Toxaphene	10.00%
INERT INGREDIENTS:	85.00%
	100.00%

*Methyl Parathion

**Technical Chlorinated Camphene 67% to 69% Chlorine



KEEP OUT OF REACH OF CHILDREN

FIRST AID

Call physician immediately. If Swallowed give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Do not induce vomiting in an unconscious person. If in eyes, flush eyes with lots of water for 15 minutes. If on skin or clothing remove contaminated clothing or shoes immediately. Bathe with soap and water.

ANTIDOTE

NOTE TO PHYSICIANS: Active ingredients are Methyl Parathion, Endosulfan and Toxaphene. Patient should be under observation for 48 hours. Methyl Parathion is a cholinesterase inhibitor. Atropine is antidotal. Give 4 mg intramuscularly or intravenously and repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration. Pralidoxime chloride (2-PAM) should be used in treatment. Endosulfan and Toxaphene are central nervous system stimulants. There is no specific antidote. Barbituric acid derivatives may be used for convulsions. Treat symptomatically.

DANGER: Poisonous if Swallowed, Inhaled or Absorbed through skin! Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion, Toxaphene and Endosulfan mixtures. Keep all unprotected persons and beneficial animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is poisonous to fish and wildlife. Keep out of ponds, lakes and streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



DISPOSE OF WASTES by burying at least 18 inches deep in non-crop land away from water supplies. Empty bags should be buried with wastes. Do not burn.

Do not use or store near heat or open flame. Do not store below 30° F.

Not for use or storage in or around the home.

For Emergency Assistance Call
716-735-3765

Thiodan is a registered trademark of Canadian Hoechst Ltd. U.S. Patent No. 2,799,685



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

REGISTRATION DIVISION
PESTICIDES, EPA

Manufactured in U.S.A. by
FMC CORPORATION
AGRICULTURAL CHEMICALS DIVISION
MILLSBORO, N.Y. 11952

FMC
Chemicals