

Code: 3381

Net Weight
Pounds

SULPHUR 50 BT 2 DUST

DIRECTIONS FOR USE

GRAPES: Omnivorous Leafrollers, Grape Leafrollers, and Powdery Mildew -- Use 20 to 25 pounds per acre. Apply as soon as possible after eggs hatch and before larvae are protected by leaf folds. Make 4 to 6 applications beginning with bloom. For Powdery Mildew, begin applications when disease first appears and repeat as necessary when disease begins to reappear. Do not allow workers to enter treated area to engage in any activity requiring substantial contact with treated foliage for 24 hours after application. When grown for processing, consult processor before applying sulphur. Ground application preferred.

TOMATOES: Tomato Hornworms, Cabbage Loopers, and Tomato Russet Mites -- Use 25 to 45 pounds per acre. Apply when pests first appear and repeat as necessary to maintain control. This product may be applied by ground or air.

USAGE CAUTIONS

Concord and other labrusca type grapes may be injured by sulphur.

Applications of materials containing sulphur should not be made just prior to, or during, periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

115W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA.

YAKIMA, WA
RICHMOND, CA

FUNGICIDE-INSECTICIDE

EPA REG. NO. 279-2986 AA

ACTIVE INGREDIENTS:	BY WT.
Bacillus thuringiensis Berliner, 320 International Units of Potency per mg. (at least 0.5 billion viable spores per gm.)	0.064%
Sulphur	50.000%
INERT INGREDIENTS	49.936%
	100.000%

*Equivalent to potency of 0.145 billion International Units of Potency per pound of this product.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. May cause irritation of nose, throat and skin. Avoid contact with eyes, skin or clothing. Avoid breathing dust. In case of contact, flush with plenty of water. For eyes, get medical attention. Keep away from domestic animals, feed and foodstuffs.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes, or burned. Keep Out Of Smoke.

Dealer Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

FMC Chemicals

For Emergency Assistance Call
716-735-3765

EPA EST., 279-CA-1

Printed in U.S.A.

