

Code: 3381

Net Weight

Sulphur 50 BT* 2 Dust

Fungicide-Insecticide

EPA Reg. No. 279-2986

EPA Est., 279-

Active Ingredients:

By Wt.

*Bacillus thuringiensis Berliner, 320 International Units of Potency per mg (at least 0.5 billion viable spores per gm)

0.064%

Sulphur.....

50.000%

Inert Ingredients:.....

49.936%

100.000%

*Equivalent to potency of 9.145 billion International Units of Potency per pound of this product

KEEP OUT OF REACH OF CHILDREN
CAUTION

May be harmful if swallowed or inhaled. May cause irritation of nose, throat and skin. Avoid contact with eyes, skin or clothing. Avoid breathing dust. In case of contact, flush with plenty of water. For eyes, get medical attention. Keep away from domestic animals, feed and foodstuffs.

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

12977A
PA 883R

Environmental Cautions

Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Usage Cautions

Concord and other, Muscad type grapes may be injured by sulphur. Applications of materials containing sulphur should not be made just prior to or during periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means at least a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment, all of closely woven fabric covering the body including the arms and legs, shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing. Period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION

Area treated with Sulphur 50 BT* 2 Dust on insect date. Do not enter without appropriate protective clothing until sprays have dried. Consult State Department of Agriculture's re-entry intervals if more restrictive.

In case of accidental exposure to pesticide spray, or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

Storage and Disposal

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Grapes: Omnivorous Leafrollers, Grape Leafrollers, and Powdery Mildew—Use 20 to 25 pounds per acre. Apply as soon as possible after eggs hatch and before larvae are protected by leaf folds. Make 4 to 6 applications beginning with bloom. For Powdery Mildew, begin applications when disease first appears and repeat as necessary when disease begins to reappear. Do not allow workers to enter treated area to engage in any activity requiring substantial contact with treated foliage for 24 hours after application. When grown for processing, consult processor before applying sulphur. Ground application preferred.

Tomatoes: Tomato Hornworms, Cabbage Loopers, and Tomato Russet Mites—Use 25 to 45 pounds per acre. Apply when pests first appear and repeat as necessary to maintain control. This product may be applied by ground or air.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product, buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and of handling and of storage of this material when such use and of handling and of storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.