



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 13, 2026

Edward Bockrath  
Product Registration Manager  
FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104

Subject: PRIA Label Amendment – Establish tolerances for permethrin on dragon fruit (pitaya) and crop group expansions and conversions  
Product Name: Pounce Technical Insecticide  
EPA Registration Number: 279-3013  
Application Date: 8/22/2023  
Case Number: 00496800; 00611978

Dear Edward Bockrath:

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable under FIFRA section 3(c)(7)(B), subject to the following conditions:

1. You must submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.
2. You are required to comply with the data requirements described in the generic data call-in (GDCI) identified below:
  - a. Permethrin GDCI-109701-1113

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Re-Evaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR

152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e).

If you have any questions, please contact Kaitlin Saunders at 202-566-2890 or at [Saunders.Kaitlin@epa.gov](mailto:Saunders.Kaitlin@epa.gov).

Sincerely,

DANIEL ROSENBLATT  
Daniel Rosenblatt  
Deputy Director  
Registration Division  
Office of Pesticide Programs

  
Digitally signed by  
DANIEL ROSENBLATT  
Date: 2026.01.13  
16:43:47 -05'00'

Enclosure

# Pounce® Technical

## Insecticide

An Insecticide for Formulating Use Only

EPA Reg. No. 279-3013

EPA Est. No.

### Active Ingredients:

|                        |         |
|------------------------|---------|
| Permethrin.....        | 95.40%  |
| Other Ingredients..... | 4.60%   |
|                        | 100.00% |

\*Cis/trans isomers ratio: Max. 55% (±) cis and min 45% (±) trans

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION FIRST AID

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

### HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**Caution:** Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Keep out of lakes, streams, ponds, tidal marshes or estuaries. Do not contaminate water by cleaning equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.



FMC Corporation  
2929 Walnut Street  
Philadelphia PA 19104

### NET CONTENTS:

**ACCEPTED**

01/13/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under  
EPA Reg. No.  
279-3013

### Physical/Chemical Hazards

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Formulators using this product are responsible for obtaining USEPA registration for their formulated product which may be labeled for the use patterns as found listed on this label.

This Material Requires Further Mixing Before Use

### STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

#### Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Protect from freezing. Do not store near food or feed. Carefully open containers. After partial use, replace lids and close tightly. Keep container closed when not in use. Do not put concentrate or dilute material into food or drink containers.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

#### Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container Handling

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or pressure rinse) as follows:

**Triple rinse:** Empty the remaining contents into a storage container or a mix tank. Fill the container  $\frac{1}{4}$  full with appropriate solvent (1). Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into a storage container for later use or disposal or into a mix tank for product formulation. Repeat this procedure two more times.

**Pressure rinse:** Empty the remaining contents into a storage container a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over storage container or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

(1) An appropriate solvent would include a solvent that will dissolve technical material. The rinsate may be used later to formulate a product or may be disposed in accordance with local, state and national environmental laws, rules, standards and regulations.

## Only for formulation into an insecticide for the following uses:

### (1) General Outdoor Insect Control:

#### Terrestrial food:

Alfalfa; Almonds; Apples; Artichokes; Arugula; Asparagus; Asparagus fern; Avocado; Cherries, crop subgroup 12-12A; Celts; Cole crops<sup>1</sup>; Collards; Cucurbit vegetables<sup>2</sup>; Dragon fruit; Eggplant; Fennel; Florence; Field corn subgroup 15-22C; Fiblets; Garden Cress; Garlic; Grapes, crop subgroup 13-07F; Horseradish; Leafy greens vegetables, crop subgroup 4-16A; Leaf petiole vegetables, crop subgroup 22B; Mushrooms; Onions (dry bulb); Papaya; Peaches, Nectarines, crop subgroup 12-12B; Pears; Peppers, bell; Pistachios; Range Grass; Soybeans; Spinach (including New Zealand and vine, Malabar spinach, Indian spinach); Sweet corn subgroup 15-22D; Swiss chard; Tomatoes, Tomatillos; Tuberous and Corm vegetables, crop subgroup 1C; Turnips; Upland Cress; Walnuts

<sup>1</sup> Broccoli, Chinese broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, Cavolo broccolo, and kohlrabi.

<sup>2</sup> **Chayote (fruit) (*Sechium edule*); Chinese waxgourd (Chinese preserving melon) (*Bernincasa hispida*); Citron melon (*Citrullus lanatus* var. *citroides*); Cucumber (*Cucumis sativus*); Gherkin (*Cucumis anguria*); Gourd, edible (*Lagenaria* spp.) (includes hyotan, cucurbita); (*Luffa* spp.) (includes hechima, Chinese okra); (*Momordica* spp.) (includes balsam apple, balsam pear, bitter melon, Chinese cucumber); Muskmelon (hybrids and/or cultivars of *Cucumis melo*) (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon); Pumpkin (*Cucurbita* spp.); Squash, summer (*Cucurbita pepo* var. *melopepo*) (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini); Squash, winter (*Cucurbita maxima*; *C. moschata*) (includes butternut squash, calabaza, hubbard squash; (*C. mixta*; *C. pepo*) includes acorn squash, spaghetti squash); Watermelon (includes hybrids and/or varieties of *Citrullus* spp.).**

#### Terrestrial Non-Food:

Christmas Trees (container & field-grown)  
Chrysanthemums  
Conifers (container & field-grown)  
Domestic Farm Animals: Cattle, Horses, Hogs, Poultry  
Agricultural Premise  
Companion Animals  
Termiticide and Soil Contact Nonfumigation Treatment  
Wood Treatment & Protection  
Ornamental plants, trees, shrubs and vines (woody)  
Lawn & Turf grasses  
Ornamental Nursery Stock (field-grown)  
Pine Seed Orchards  
Roses (field-grown & greenhouse)

#### General Indoor Insect Control:

**Food handling Establishments:** Places other than private residences in which food is held, processed, prepared or served.

**Non-Food/Feed Areas:** May be used to manufacture end-use products for use as a general spot or crack and crevice treatment in non-food areas. Similar areas where insects hide or through which insects may enter can be treated. Examples of non-food areas include: garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

**Food/Feed Areas:** May not be used to manufacture products for use in food/feed areas. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Examples of food areas are areas for receiving, storage/packing (canning, bottling, wrapping,

boxing), preparing, edible wastes storage and enclosed processing systems (mills, dairies, edible oils, syrups), serving areas (when food is exposed and facility is in operation) also would be considered a food area.

All liquid and RTU products labeled for use on indoor surfaces (baseboard, spot, and crack and crevice) at residential sites must be formulated to contain no more than 0.5% of permethrin active ingredient.

All liquid products labeled for use on indoor surfaces must state the following: "Not for broadcast use".

Total release foggers labeled for indoor use at residential sites must be formulated to contain no more than 0.58% permethrin active ingredient.

#### Fiber Product Production

Do not exceed an application rate equivalent to 1.25 grams of a.i. per square meter of fabric.

#### Human Articles and Materials

##### Human Body Hair and Skin

##### Note: Not for use to formulate products to be used:

- In greenhouses where crops for food or feed are grown
- In USDA meat and egg processing plants
- In warehouses where raw or cured tobacco is stored.
- In warehouses where raw agricultural commodities for food or feed are stored.
- For mosquito control (ULV) products.
- In formulations into Thermal and Cold Foggers. Not for formulation into products for commercial indoor use applied with thermal or cold handheld foggers.

##### (2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration

This product may be used to formulate products for any additional use(s) not listed on this label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).

##### (3) Uses for experimental purposes that are in compliance with USEPA requirements.

#### NOTICE

Seller warrants that the product in this container conforms to its chemical description contained hereon and is reasonably fit for its intended purpose when used in accordance with proper manufacturing practices and procedures and under normal conditions of use. Neither this warranty nor any other warranty of **MERCHANTABILITY** or of **FITNESS** for a particular purpose, express or implied, extends to use or handling of this product contrary to proper manufacturing practices and procedures, or under abnormal conditions or conditions not reasonably foreseeable to Seller, or to use by mixture, chemical reaction or formulation with other substances not specifically recommended in writing by Seller, and Buyer assumes all risk of any such use. Any damages arising from breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid for this product by Buyer, and shall not include incidental or consequential damages such as, but not limited to, loss of profits or values.

Pounce® and FMC are trademarks of FMC Corporation or an affiliate

TD-4848 082523