

279-3014

11-27-79

1041

Code 3510

Gallon Net Contents

**RESTRICTED USE  
PESTICIDE**

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

# Pounce® 3.2 EC

## Insecticide

EPA Reg. No. 279-3014

EPA Est. 279-FL-1

**Active Ingredients:**

*Permethrin*	38.4%
Xylene range aromatic solvent	50.2%
<b>Inert Ingredients:</b>	<b>11.4%</b>
	100.0%

\*(3-Phenoxyphenyl) methyl(±) *cis-trans* 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate  
 \*\**cis/trans* ratio: Min. 35% (±) *cis* and max. 65% (±) *trans*

Contains 3.2 lbs. permethrin per gallon

Pounce® — FMC Trademark U.S. Patent No. 4,024,163

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**First Aid:**

**If in eye,** flush eyes with water for 15 minutes. Call a physician.  
**If swallowed,** do not induce vomiting. Call a physician.  
**If on skin,** remove contaminated clothing. Wash with plenty of soap and water. Get medical attention if irritation persists.  
**Note to Physician:** Vomiting should be supervised by a physician or the professional staff because of the possible pulmonary damages by aspiration of the solvent.

For emergency assistance call 716-735-3765.

See side panels for additional precautionary statements.

**PRECAUTIONARY STATEMENTS  
Hazards to Humans (& Domestic Animals)**

**DANGER**

Causes eye damage. Do not get in eyes. Wear goggles or full face shield when handling. Harmful if swallowed or absorbed through skin. Avoid contact with skin or clothing. Wash thoroughly after handling. Remove and wash clothing before reuse.



FMC Corporation  
 Agricultural Chemical Group  
 2000 Market Street  
 Philadelphia Pennsylvania 19103

PA-10/79

**ACCEPTED**

NOV 27 1979

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-3014

**Environmental Hazards**

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply this product or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your Cooperative Extension Service.

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Physical or Chemical Hazards**

Do not use or store near heat or open flame

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Storage and Disposal**

Do not store below 10°F (-12°C). Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

**Cotton:** To control Bollworm, Cotton Leafperforator, Lygus Bugs, Pink Bollworm, Tobacco Budworm and suppress Boll Weevil—Use Pounce 3.2 EC at a rate of 4 to 8 ounces (0.1 to 0.2 pounds active) per acre. Use higher dosage rate as population pressure increases. Apply a minimum of 1 gallon of finished spray per acre by aircraft and 5 gallons with ground equipment. Do not make more than 15 applications per season. Do not apply within 14 days of harvest. Do not graze or feed cotton forage. Do not plant rotational crops within 60 days of last application.

**Dealers Should Sell in Original Packages Only.**


**Terms of Sale or Use** On purchase of this product buyer and user agree to the following conditions:

**Warranty** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.





000279-03014-112779

Printed: 12:23:12 Wednesday, 08 Sep, 1999 # 8 / 8

Systems Integration Group, Inc.