

Code 537

Net Contents

RESTRICTED USE PESTICIDE

For retail sale to and use only by: Certified Applicators or persons under the direct supervision, and only for those uses covered by the Certified Applicator's certification.

Ammono 2.5 EC Insecticide

EPA Reg.No. 279-3027

EPA Est. No. 279-

Active Ingredient

* Cypermethrin **

30.6%

Inert Ingredients

69.4%

100.0%

Contains xylene range aromatic solvents.

* (1S,3S)-1-(3-phenoxyphenyl)-3-methyl-2-butanol trans-3-(2,2-dichloro-1,1-dihydro-2,2-dimethylcyclopropane carboxylate)

** Cis trans ratio: Max. 55% cis and min. 45% cis trans


Contains 2.5 pounds cypermethrin per gallon

U.S. Patent No. 4,024,113

KEEP OUT OF REACH OF CHILDREN CAUTION

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

279-3027

First Aid:

If swallowed: Do not cause vomiting. Call a physician.

If on skin: Wash thoroughly with soap and water.

If in eyes: Flush thoroughly with water. If signs of irritation persist, contact physician.

If inhaled: Exposure to vapor or dust may cause tingling or numbness of exposed areas, especially the face, but this is temporary and requires no treatment. Lung irritation from breathing vapors is possible, and medical attention should be obtained if it is severe.

Note to Physician:

Like the natural pyrethrins, the synthetic derivative is expected to have relatively minor toxicity in humans. In fact, any significant acute toxic effects are more likely from a carrier hydrocarbon solvent. Consequently, induction of vomiting may increase the likelihood of the most important toxic potential: chemical pneumonia, and so should either be avoided or done only under medical supervision. Ingestion of a large amount calls for gastric lavage with care (Trendelenburg position), suction available, cuffed endotracheal tube if patient is unconscious) to avoid intrapulmonary aspiration. A saline cathartic (sodium or magnesium sulfate, 15-30 gm. dissolved in water) should be given, as should 15-20 gm. activated charcoal as a slurry in water. Digestible fats, oils or alcohol may increase absorption and so should be avoided. Skin contact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Caution

Harmful if absorbed through skin or if swallowed. Causes eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin. May cause sensitization reaction in some individuals. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Applicators must wear protective clothing. Masks and gloves must wear when the insecticide is being applied to surfaces and for the time it takes to dry.

Environmental Hazards

This product is highly toxic to birds exposed to the insecticide or coming in contact with it. Do not apply this product near water to drift in blowing winds. Do not use when birds are actively visiting the treatment area.

This product is extremely toxic to fish. Use with care when applying in areas that may be in contact with water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use near heat or open flame.

DIRECTIONS FOR USE

Read and follow all Federal and State laws and regulations in a manner in compliance with the label.

For Fly, Housefly

Do not treat areas where unprotected humans or domestic animals are present or the treatment area.

Do not use on water, or treated areas without protective clothing and mask.

Do not use on water, or treated areas if they are more restricted than the label. Do not use on water, or treated areas if they are more restricted than the label.

BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL

Pesticide Storage

Do not store below 10 F (-12 C)

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved State and local procedures.

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

CROP	INSECT	DOSAGE		REMARKS
		LB A/A	FL OZ/A	
Cotton	Tobacco Trips	0.025-0.1	1-3.5	Use low rate under light to moderate infestation. Higher rates should be used under heavy insect pressure. The rate of application is variable according to insect pressure, timing of spray and field scouting.
	Spotted			
	Bandied			
	Beet Army	0.04-0.1	2-5	Amigo 25EC may be applied in water or refined vegetable oil. If water is used, apply a minimum of one gallon of finished spray per acre by a sprayer or five quarts of finished spray per acre with ground equipment. When applying in water by a sprayer, one quart of oil may be substituted for one quart of water per gallon of finished spray. When using oil, use a minimum of one quart per acre in the finished spray.
	Worm			
	Ear Armyworm			
	Yellow Striped			
	Armyworm			
	Cotton Boll			
	Worm			
	Pink B. Worm			
	Tobacco Bud			
	Worm			
	Thorned Plant			
	Bug			
	Lygus Bugs			
	Cotton Flea			
	hopper			
	Cotton Leaf			
	perforator			
	hopper			
	B. Weev.			
	Cutworm			
	Plant Bug			
	White Fly			

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and handling and storage of the material when such use and handling and storage are contrary to the label instructions.

Directions and Recommendations: Follow label instructions carefully. Timing and method of application, weather and temperature in conjunction with other cultural practices are fully recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests conducted under normal conditions. The use of this product being sold other than the manufacturer's recommendation expressed and warranted on the label is at the user's risk and the results to be obtained may not be comparable with those obtained by the safe practice.

Damages: Buyer and user agree to indemnify and hold the seller harmless for any damages for breach of warranty, or for any other damages, including consequential damages, not exceeding the purchase price of the product, which may be claimed by a third party.

Code 3787

Net Contents

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

Ammono 2.5 EC Insecticide

EPA Reg.No. 279-3027

EPA Est. No. 279-

Active Ingredient

* Cypermethrin **

30.6%

Inert Ingredients

69.4%

100.0%

Contains xylene range aromatic solvents.
* (1S,2S)-Cyano (1,3-phenoxypheyl) methyl (1R,2S)-2,2-difluoro-3-methoxy-2-oxo-1-phenylpropane carboxylate.
** Is trans ratio: Max. 55% (1R,2S) and min. 45% (1S,2S) trans.
Contains 2.5 pound cypermethrin per gallon.
U.S. Patent Nos. 4,624,163

KEEP OUT OF REACH OF CHILDREN
CAUTION

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

4-64

BEST DOCUMENT AVAILABLE

First Aid:

If swallowed: Do not cause vomiting. Call a physician.

If on skin: Wash thoroughly with soap and water.

If in eyes: Flush thoroughly with water. If severe irritation persists, contact physician.

If inhaled: Exposure to vapor or dust may cause irritation of exposed areas, especially the face, but this is usually temporary and requires no treatment. Lung irritation from breathing vapors requires medical attention should be obtained if it is severe.

Note to Physician:

Like the natural pyrethrins, the synthetic derivative, cypermethrin, has relatively minor toxicity in humans. In fact, only mild irritant effects are more likely from a carrier hydrocarbon solvent than from the active ingredient. Induction of vomiting may increase the risk of chemical pneumonitis, an important toxic potential. Chemical pneumonitis is a severe condition to be avoided or done only under medical supervision. If symptoms are severe, amount calls for gastric lavage, with care (free from aspiration). If not available, cuffed endotracheal tube for lavage is indicated. Avoid intrapulmonary aspiration. A saline cathartic (e.g., sodium sulfate), 15-30 gm dissolved in water, may be given. 15-20 gm activated charcoal as a sorbent, and water or saline, or alcohol may increase absorption and should be avoided. If contact (vapor or powder) may be followed by irritation of the face, but this is usually temporary.


PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution

Keep out of reach of children. Do not use near food or feed. Avoid breathing vapor or dust. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after use. Do not use if irritated or inflamed.

Applicators must wear protective clothing. Mixers and loaders must wear a full face shield, impervious gloves and protective clothing.

Ammono
2.5 EC
Insecticide



Environmental Hazards

This product is highly toxic to bees exposed to it during bloom. Do not apply this product to flowering plants, crops or weeds when bees are active on them. Do not apply to crops or weeds when bees are active on them.

This product is extremely toxic to fish. Do not use when applying to areas adjacent to any body of water. Do not use on crops or weeds that are not adjacent to any body of water. Do not use on crops or weeds that are not adjacent to any body of water.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Re-Entry Statements

Do not treat areas while unprotected human beings or animals are present in the treatment area.

Do not allow entry into treated areas until the treated area is dry and sprays have dried.

State re-entry regulations will apply if they are more restrictive than those stated on this label. Consult with State regulatory officials.

STORAGE AND DISPOSAL

Pesticide Storage

Do not store below 10 F. (-12 C).

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, repackage and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, feed, food, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (714) 735-3765.

To confine spill: If liquid, dike surrounding area with earth or with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a leak-proof container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. In proper disposal, a toxic pesticide, spray mixture, or residue is a violation of Federal law. These wastes cannot be disposed of by pouring down the drain. For instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Glass Containers: Triple rinse and reuse for non-toxic purposes only in a sanitary landfill or by other approved State and local procedures.

Metal Containers: Triple rinse and reuse for non-toxic purposes only in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

CROP	INSECT	DOSAGE		REMARKS
		LB AIA	FL OZ A	
Cotton	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
Cotton	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.
	Yellow Weevil	1.0	1.0	Apply at 1.0 lb AIA per acre.

Dealers Should Sell in Original Packages Only

Terms of Sale or Use

Buyer agrees to the following conditions: **Warranty:** FMC makes no warranty, expressed or implied, for the use of this product other than that for which it is specifically warranted. The product is sold as is. FMC does not warrant the product for use in any other manner. FMC does not warrant the product for use in any other manner.

Directions and Recommendations

Directions and recommendations are given for the use of this product. The use of this product is based upon the results of field tests. The use of this product is based upon the results of field tests. The use of this product is based upon the results of field tests.

Damages

Buyer agrees to hold FMC harmless from and against all damages, claims, and expenses, including attorney's fees, arising out of the use of this product.

FMC is a registered trademark of FMC Corporation.

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE 121-123,330	DATE OF REGISTRATION: JUN 12 1984 NAME OF REGISTRANT: NAME OF PRODUCT:
NAME AND ADDRESS OF REGISTRANT: 121-123,330 181 BEST DOCUMENT AVAILABLE	
NOTE: Changes in labeling, formula, formula name, or other information that accepted in connection with this registration must be submitted and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the U.S. EPA registration number.	
On this date, the following pesticide has been registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act: A copy of the label accepted for use with this Registration/Reregistration is returned herewith. Registration is necessary to ensure that the pesticide is safe for use as intended by the Agency, in order to protect health and the environment. A pesticide which is not registered is not eligible for sale or use in the United States. The registration of a pesticide is a condition of the Act. The registration of a pesticide is a condition of the registration of a pesticide under this Act. The registration of a pesticide is a condition of the registration of a pesticide under this Act. The registration of a pesticide is a condition of the registration of a pesticide under this Act.	
☐ A T A M N A SIGNATURE OF REGISTRANT:	DATE:

- a. Protocol will be used to assess the impact that the medicine may have (11-05) on the human population.

You will submit the results of the study and field monitoring study to the Agency no later than April 30, 1964.

- c. You will submit the results of the study in accordance with the guidelines and on the basis of the Agency's requirements for data.
4. You will submit production information (name, address, and phone number) for this product for the fiscal year in which the production is conditionally registered, in accordance with Section 21 of FIFRA. The fiscal year begins October 1 and ends September 30.

The production information will be submitted to the Agency no later than November 15, following the end of the preceding fiscal year.

This information should be submitted to:

Field Office
Product Registration Branch
Registration Division (21-767)
Environmental Protection Agency

BEST DOCUMENT AVAILABLE

4. Take the following labeling changes before you release the product for shipment bearing the proposed labeling:
 - a. Add to the label the statement, "Conditional Registration."
 - b. Add to the label the statement, "Conditional Registration."
 - c. Add to the label the statement, "Conditional Registration."
5. Submit five (5) copies of your final printed label to the Agency no later than the date you release the product for shipment. Refer to the 1-79-100 for a further description of final printed label.

Please note that the conditional registration of this product expires December 31, 1964.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 2(c).

A stamped copy of the label is enclosed for your reference.

W. R. Gardner
Product Manager (17)
Registration Division (21-767)

Enclosures

PD-122:DCR-45516:Keyward:adrenalin:17-2226:1-1:1/10/64:1.4/13/64
REVISED:DCR-45500:Keyward:adrenalin:17-2226:1-1:1/10/64:1.4/13/64
REVISED:DCR-45519:Keyward:adrenalin:17-2226:1-1:1/10/64:1.4/13/64