


Code

Net Weight
Pounds

Captan 80 WP



Fungicide

For Agricultural or Commercial Use Only.

EPA Reg. No. 279-3035 EPA Est. 279-

Active Ingredients:	By Wt.
Captan	75.7%
Related Derivatives	4.3%
Inert Ingredients:	20.0%
	100%

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO

PRECAUTIONAL USUARIO...
...de los niños...

FMC

FMC Corporation
1000 Market Street
Philadelphia, Pennsylvania 19103

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Danger

Causes treatable eye damage. May cause skin irritation. May irritate the respiratory tract. Do not breathe dust. Do not get in eyes. Do not get on face shield when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. Wash hands after use. Remove and wash clothing if contaminated.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

This is a registered Federal Insecticide, Fungicide, and Rodenticide Act. Do not apply this product in such a manner as to directly or indirectly expose workers or other persons to the untreated treated material or to protected persons.

Do not enter treated areas until the protective covering has dried.

Protective clothing includes a full length protective suit, gloves, and a respirator. Do not eat, drink, or smoke while wearing protective clothing.

Because certain states may require more restrictive labeling, always read the label on the product. Do not use this product in violation of State or Federal Agricultural Insecticide Laws.

When used in accordance with the label, this product will not harm beneficial insects. Do not use this product in areas where it may be in contact with protective clothing. Period of time must be evaluated and appropriate actions taken in case of accidental exposure. An example of such an action is to wash the exposed area with water. Washings should be poured into a container and disposed of properly. Do not reuse washings. Washings should be disposed of in a safe manner. Do not use this product in areas where it may be in contact with protective clothing.

Do not use this product in areas where it may be in contact with protective clothing. Do not use this product in areas where it may be in contact with protective clothing.

Do not use this product in areas where it may be in contact with protective clothing. Do not use this product in areas where it may be in contact with protective clothing.

BEST DOCUMENT AVAILABLE

Apply when plants are young. Repeat weekly until plants are well established. For control of insects on young plants, apply weekly until plants are well established.

Apples - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Apricots - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Asparagus - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Beans Peas - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Cantaloupes Cucumbers Summer and Winter Squash Watermelons Pumpkins - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Ceery - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Cherries - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Plum - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Peas - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Plum - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Raspberries - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Strawberries - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Tomatoes - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Turf Lawn - Apply weekly from bud break until harvest. For control of insects on young plants, apply weekly until plants are well established.

Do not apply under conditions which give rise to drift to food crops or other plants that might be damaged or the fruits thereof rendered unfit for sale or use or consumption.

Compatibility - Do not apply under conditions which give rise to drift to food crops or other plants that might be damaged or the fruits thereof rendered unfit for sale or use or consumption.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use - This product is sold as a general recommendation. It is not intended to constitute a contract. The user assumes all responsibility for the proper use of this product.

Warranty - The manufacturer warrants that this product is free from defects in material and workmanship under normal conditions of use. This warranty does not cover damage caused by misuse or neglect.

Directions and Recommendations - Apply this product according to the directions on the label. Do not apply to plants that are stressed or damaged.

Use of Product - This product is intended for use on the plants listed in the directions. Do not use on other plants unless specifically recommended.

Damages - The manufacturer is not liable for any damages, including consequential damages, arising from the use of this product.

BEST DOCUMENT AVAILABLE