



## MUSHROOM HOUSES AND ADJACENT PREMISE AREAS

For control of mushroom flies (Sciariid and Phorid adults):

Preparation of the Building Prior to Fogging:

- (1) Close all doors, windows and ventilators
- (2) Lock or barricade all entrances, turn off pilot lights, post warning signs, and take precautions to prevent persons and animals from entering the area.

Application:

Apply Pounce Mushroom Spraymist as a fogging or aerosol treatment at the rate of 2 to 2.5 ounces (0.05-0.0625 lb. a.i.) Pounce Mushroom Spraymist per 30 ounces of water or suitable diluent. Use 1 quart of solution per standard double (35,000 cu. ft.: 8,000 sq. ft.).

Use Pounce Mushroom Spraymist prior to filling house, during cool-down, during spawning, up to pinning and between breaks. Do not use when mushrooms are present. Treat once daily or as needed when flies appear. Do not make more than 20 applications prior to pinning of first break. Apply no more than two applications between each break. Do not apply more than 30 applications total per crop of 5 breaks.

Do not apply within 3 days of harvest.

Length of exposure time should be limited to 1 hour, then ventilate the house. Use fans to ventilate in houses that do not have forced air circulation. Wear full-faced respirator mask with canister type recommended for general insecticide protection.

BEST DOCUMENT AVAILABLE

### Packages Should Sell in Original Packages Only.

This is a warning to the consumer of the product buyer and user to be alert for the following conditions:

Warning: If the package is unwarrantably expressed or implied concerning the quality of the product, the consumer should be alerted to the fact that the product may be of inferior quality and should be used with caution.

The consumer should be alerted to the fact that the product may be of inferior quality and should be used with caution.

The consumer should be alerted to the fact that the product may be of inferior quality and should be used with caution.

The consumer should be alerted to the fact that the product may be of inferior quality and should be used with caution.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 4(c). Your release for shipment of the product constitutes acceptance of those conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner,  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (FS-767)

Enclosures